

Revision I dd 05.10.21

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Commercial name CARBO FAST FAGC3PT5V

Product code 217

Registration number A registration number is not available for this product as it is

a mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended uses Catalyst for synthesis. Industrial use

Advised against uses None

1.3 Details of the supplier of the safety data sheet

Name FAGGI ENRICO S.P.A.

Adress Via Majorana, 101/103 50019 Sesto Fiorentino FI

Telephone number 055311861 Fax number 055311791

Competent person responsible for

the safety data sheet | lorenzo.magaldi@faggi.it

**1.4 Emergency telephone number** Ph. 0557947819 Poison Control Center of Florence

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product is classified as dangerous pursuant to the provisions of Regulation (CE) 1272/08 (CLP) and s.m.i. The product therefore requires a safety data sheet compliant with the provisions of Regulation (CE) 1907/06 and subsequent amendments. Any additional information regarding risks to health and / or the environment are reported in sections 11 and 12 of this safety sheet.

Hazard classes	Category codes	Hazard statements
Repr.	2	H361
STOT RE	1	H372
Aquatic chronic	2	H411

### 2.2 Label elements Pictograms







Signal words Hazard statements	DANGEROUS	•
	H361	Suspected of damaging fertility or the unborn child
	H372	Causes damage to organs through prolonged or repeated exposure
	H411	Toxic to aquatic life with long lasting effects



Revision I dd 05.10.21

	Precautionary statements	P260	Do not breathe dust/fume/gas/mist/vapours / spray.
		P263	Avoid contact during pregnancy and while nursing.
		P264	Wash hands thoroughly after handling
		P270	Do not eat, drink or smoke when using this product.
		P273	Avoid release to the environment
		P391	Collect spillage.
2.3	Other hazards	Under certain conditions, the mixture of coal dust and air can give rise to an explosive atmosphere. Damp coal removes oxygen from the air, causing serious dangers for people in low oxygen environments.  It does NOT contain PBT / vPvB substances according to Regulation (EC) 1907/2006, annex XIII.	
		It does NOT contain substances that interfere with the endocrine system in accordance with Regulation (EC) 1907/2006 art.59 paragraph 1 and in accordance with the criteria established in Regulation (EU) 2017/2100 and Regulation (EU) 2018/605.	

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixture

Product identifier	Concentration	Classification		
	%	Hazard classes	Category codes	
Active Carbon	93.6 – 95.5	None	None	
CAS 7440-44-0				
EC: 931-328-0				
N. Reach: 01-2119488894-16-XXXX				
Platinum	0.5 - 1.5	None	None	
CAS 7440-06-4				
EC: 231-116-1				
N.Reach: 01-2120733612-61-XXXX				
Ammonium monovanadate	4.0 – 4.9	Acute tox. 3	H301	
CAS 7803-55-6		Eye Irr. 2	H319	
EC: 232-261-3		Acute tox. 4	H332	
N.Reach: exempt for quantity		Repr. 2	H361	
M factor chronic toxicity: 1		STOT RE 1	H372	
		Aquatic Chronic 2	H411	



Revision I dd 05.10.21

#### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation Remove from exposure to fresh air. If breathing is difficult call a doctor

immediately.

Ingestion Wash out mouth and give to drink two glasses of water.

Skin contact Remove contaminated clothing and shoes and wash immediately and

abundantly with water for at least 15 minutes. Get medical attention if irritation occurs. Wash clothing before reuse. Thoroughly clean shoes

before using them again

Eye contact Remove contact lenses. Wash immediately with plenty of water for at

least 15 minutes, opening the eyes. Consult a doctor if symptoms

YES

persist.

#### Reccomendation:

•	Need to see a doctor immediately	YES
•	Possibility of delayed effects following exposure	YES
•	Move the exposed individual from the place of exposure to the open air	YES

Remove the clothing and shoes of the exposed individual

YES

How to handle contaminated clothing
 With gloves

### For those providing first aid, wear PPE

Most important symptoms and effects, both acute and delayed
For ammonium salts the following applies in general: after ingestion: local irritation, illness, vomiting, diarrhea. Systemic action: after ingestion of large quantities, pressure drop, collapse, CNS disorders, cramps, states of narcosis, lack of narcosis, haemolysis.

Vanadium and its compounds cause: irritation after contact with the eyes and skin, irritation of the mucous membranes, cough and dyspnoea after inhalation. After the absorption of toxic quantities there are changes in the blood picture, weight loss and cardiovascular disorders.

### 4.3 Indication of any immediate medical attention and special treatment needed

There are no known specific provisions

### 5. FIREFIGHTING MEASURES

4.2

### 5.1 Extinguishing media

Suitable extinguishing media: water spray, foam
Non suitable extinguishing media: none in particular

### 5.2 Special hazards arising from the substance or mixture

Under certain conditions, the mixture of coal dust and air can give rise to an explosive atmosphere. If involved in a fire it can release toxic vapors of nitrogen oxides, ammonia, carbon monoxide.

### 5.3 Advice for firefighters

Avoid raising dust clouds. Normal clothes to fight the fire, like a compressed air breathing apparatus open circuit (EN137), complete with flame retardant (EN469), flame-resistant gloves (EN659) and boots for firefighters (HOA29 or A30).

### Safety data sheet

### According to Regulation n. 1907/2006 and Regulation 878/2020 CARBO FAST FAGC3PT5V



Revision I dd 05.10.21

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment, and emergency procedures

### 6.1.1. For non-emergency personnel

Keep away in case of dust clouds

### 6.1.2. For emergency responders

In case of dry product use a protective breathing (P2 filter) mask, and dust-proof gloves.

### **6.2** Environmental precautions

Prevent the cleaning water from the spill from entering water drains, sewers, groundwater.

### 6.3 Methods and material for containment and cleaning up

### 6.3.1. Advice in order to contain a spill

Recover the product dispersed and wash the residue with plenty of water. Avoid creating dusts.

### 6.3.2. Advice in order to clean-up a spill

Spill cleaning water must not be discharged into sewers. Dispose of contaminated water and residue according to current regulations. To avoid dust formation, spray water before cleaning.

### 6.4 Reference to other sections

None

#### 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

## 7.1.1. Raccomentations in order to manipulate the substance or the mixture in a safe manner, such as containement measures and prevention of fire and aereosol and powders formation

Avoid raising dust clouds especially in the presence of possible sources of ignition. Wet activated carbon removes oxygen from the air, causing serious dangers for people in low-oxygen environments. Appropriate work procedures must be followed for operations in low oxygen potential environments. Use under a hood.

### 7.1.2. General recommendation on work hygiene

Do not eat, drink or smoke in work areas; wash hands thoroughly after use and remove contaminated clothing and protective equipment before entering areas where you eat.

### 7.2. Conditions for safe storage, including any incompatibilities

## 7.2.1. Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources

Store in closed original container. Store in a well-ventilated, cool, and dry place.

### 7.2.3. Control of weather conditions, ambient pressure, temperature, sunlight, humidity, and vibration

Store in the original container

### 7.2.4. Conditions for keeping substances / mixtures intact

Keep away from oxidizing, unsaturated oils, gases or vapors, direct sources of heat, naked flames and other sources of ignition and direct sunlight.

7.2.5. Advice regarding the ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities

### Safety data sheet

### According to Regulation n. 1907/2006 and Regulation 878/2020 CARBO FAST FAGC3PT5V



Revision I dd 05.10.21

8.2.

None in particular

### 7.3. Specific end use(s)

Industrial use.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No occupational and biological exposure limits have been established for this mixture.

The limit values established for the contained substance are listed below:

Activated carbon

**Germany**: air limit value- breathable fraction: 1,5 mg/m³ (long-term) **Germany**: air limit value – breathable fraction: 4 mg/m³ (long-term)

DNEL long-term temporary inhalation (repeated):

Industry workers: 3 mg/m<sup>3</sup>
Professional workers: 3 mg/m<sup>3</sup>
Consumers: 0,5 mg/m<sup>3</sup>

**Exposure controls** 

### 8.2.1. Appropriate engineering controls

If moist, with low dust levels, does not require any measure of risk management

### 8.2.2. Individual protection measures, such as personal protective equipment

Eye/face protectionGlassesSkin protection (hands)GlovesSkin protection (body)Work clothes

**Respiratory protection** If moist, with low dust levels, does not require any

measure of risk management

Thermal hazards None

### 8.2.3. Environmental exposure controls

Emissions from the production processes, including those from ventilation should be monitored for the purposes of compliance with environmental protection.

Do not let the product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state Powderly solid

Colour Black
Odour Odourless
Melting point/freezing point Odorless
Boiling point or initial boiling point and Non applicable

boiling range

Flammability The product must be kept moist. In

the dry state it can generate flammable atmospheres with air Lower explosion limit: 20 g/m<sup>3</sup>

Lower and upper explosion limit Lower explosion limit: 20 g/m<sup>3</sup>

Flash point

Auto-ignition temperature

Decomposition temperature

Not applicable

At dry status: 460 °C

Not applicable

pH  $6-7 \text{ a } 50 \text{ g/l e } 20 ^{\circ}\text{C (dough)}$ 

Kinematic viscosity Not applicable



Revision I dd 05.10.21

Solubility Insoluble in water Partition coefficient n-octanol/water (log Not applicable

value)

Vapour pressure Not available Density and/or relative density 4 g/cm<sup>3</sup>

Relative vapour density

Relative vapour density

Non applicable

Particle characteristics

Particle size  $D_{10}$ : 6  $\mu$ m

Particle size  $D_{50}$ : 20  $\mu m$  Particle size  $D_{90}$ : 80  $\mu m$ 

9.2. Other information

None

### 10. STABILITY AND REACTIVITY

10.1 Reactivity

Catalytic properties

10.2 Chemical stability

This product does not show reactivity in the conditions of storage, shipment and use as specified.

10.3 Possibility of hazardous reactions

Flammable at dry status

10.4 Conditions to avoid

Do not allow the material to dry completely. Do not store together with oxidizing material.

10.5 Incompatible materials

Keep away from strong oxidizing agents, acids and bases.

### **10.6** Hazardous decomposition prodoucts

CO, CO<sub>2</sub>, NH<sub>3</sub> and nitrogen oxides

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (CE) No 1272/2008

Acute toxicity

 Oral: Acute toxicological classification method (Ocse 423): LD50 >2000 mg/kg (rat)

 Inhalation: Acute standard method of classification:: LC50

>8,5 mg/l

 Skin: Absorption highly unlikely. There are no known

effects on health

Skin corrosion/irritation

Based on available data, the

classification criteria are not met

**Serious eye damage/irritation**Based on available data, the

classification criteria are not met



Revision I dd 05.10.21

**Respiratory or skin sensitization**Based on available data, the

classification criteria are not met

Germ cell mutagenicity Suspected of damaging the unborn

child

**Carcinogenicity** Based on available data, the

classification criteria are not met

**Reproductive toxicity**Based on available data, the

classification criteria are not met

(STOT) single exposure Not available data

(STOT) repeated exposure Causes damage to the respiratory

tract through prolonged or

repeated exposure

**Aspiration hazard** Causes damage to the respiratory

tract through prolonged or

repeated exposure

11.2 Information on others hazards

None

### 12. ECOLOGICAL INFORMATION

As it is not possible to provide specific data on the mixture, the following data are provided for the substance ammonium vanadate

**12.1 Toxicity** CL50 fish (Ictalurus catus): 2.6 mg/l

per 96h

NOEC fish (Clarias batrachus): 0.873

mg/l per 30 dies

12.2 Persistence and degradability The substance is not subject to

breakdown by any natural enzymatic or chemical process

**12.3 Bioaccumulative potential**No known effects

12.4 Mobility in soil No known effects

12.5 Results of PBT and vPvB assessment Not applicable
 12.6 Endocrine disrupting properties No known effects

12.7 Other adverse effects No known effects

### 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods



NO

Revision I dd 05.10.21

Either the mixture or packages must be sent to approved facilities for the disposal of industrial wastes.

		industrial wastes.		
14.	TRAN	SPORT INFORMATION		
	14.1	UN number or ID number	ONU 3077	
	14.2	UN proper shipping name	Environmentally hazard	ous substance,
			solid, n.o.s.	
	14.3	Transport hazard class(es)	9	
	14.4	Packing group	III	
	14.5	Environmental hazards	YES	
	14.6	Special precautions for user	n.a.	
	14.7	Maritime transport in bulk according to IMO	n.a.	
		instruments		
<b>15</b> .	REGU	LATORY INFORMATION		
	15.1 Safety, health and environmental regulations/legislation specific for the			<b>Applicability</b>
		substance or mixture		
		Reg. (CE) 1907/2006/CE Reach		YES
		Reg. (CE) 1272/2008 CLP and subsequent amend	ements	YES

Reg. (CE) 850/2004 "Persistent organic pollutants"	NO
Reg. (CE) 689/2008 "Export and import of hazardous chemicals"	NO
Substance listed in Annex I of Dir. 2012/18/UE cd Seveso	YES
Directive 81/2008 Consolidated Act on protection of health and work	YES
safety	
Directive 2014/103/UE "Adr"	YES

### 15.2 Chemical safety assessment

A chemical safety assessment was not carried out

Reg. (CE) 2037/2000 "Substances that deplete the ozone layer"

### 16. OTHER INFORMATION

### Changes compared to the previous edition

None

### Acronim and abbreviation legend

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstract Service

### Main references and data sources

ECHA's data bank on registered substances and soon to be registered substances: <a href="http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances">http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances</a>

Reporting, for mixtures, which methods of evaluating the information were used for the purposes of classification.

	Classification	Classification procedure
Suspected of damaging fertil Causes damage to organs the repeated exposure	•	Calculation method Calculation method



Revision I dd 05.10.21

Toxic to aquatic life with long-lasting effects H411 Calculation method Adequate training for workers to guarantee the protection of human health and the environment

- Training on the chemical risk ex Directive 81/08 Title IX dangerous substances
- Training on DPI