According to Regulation n. 1907/2006 and Regulation 830/2015 CARBO FAST FAGC1PD10 CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10E



Revision n. IV dd 01.21.2019 Replaces revision n III dd 06.01.2015

1. 1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY

1.1 Product Identifier

Denomination CARBO FAST FAGC1PD10

CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10A CARBO FAST FAGC3PD10E

1.2 Substance or Mixture Identified pertinent uses and suggested uses

Chemical Product for synthesis

1.3 Safety Data Sheet supplier information

EU market introducing responsible

Name FAGGI ENRICO S.P.A.

Address Via Majorana, 101/103 50019 Sesto Fiorentino FI

Telephone number 055311861

Fax number 055311791

Qualified person responsible for SDS

lorenzo.magaldi@faggi.it

1.4 Emergency Telephone Number: Tel. 0557947819 Centro Antiveleni di Firenze

1.5 Registry number

For this product is not available a registration number as a mixture

2. 2. HAZARDS IDENTIFICATION

2.1 Mixture classification according to Reg. (CE) n. 1272/2008: Not dangerous

2.2 Label elements : not applicable

Other dangers In certain conditions the mixture of coal dust and air can

give rise to an explosive atmosphere. The wet coal removes oxygen from air causing serious dangerous for people who

are in environments with low oxygen level.

3. **COMPOSITION / INFORMATION ON INGREDIENTS**

3.1 Mixture

Product identification		Concentration	Classification		
		%	Danger class	Hazard statements	
Active carbon		90	None	None	
CAS 7440-44-0					
Reach n. 01-2119488894-16					
Palladium	CAS 7440-05-03	10	None	None	

According to Regulation n. 1907/2006 and Regulation 830/2015 CARBO FAST FAGC1PD10 CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10E



Revision n. IV dd 01.21.2019 Replaces revision n III dd 06.01.2015

4. MISURE DI PRIMO SOCCORSO

4.1 First aid measures

Inhalation Remove from exposure to fresh air. If breathing is difficult, call a

physician immediately.

Ingestion Wash out mouth and give 2 glasses of water

Skin contact In case of contact remove contaminated clothing and shoes and wash

immediately with plenty of water for at least 15 minutes. Get medical attention if irritation occurs. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

Eye contact Remove contact lenses. Wash immediately with plenty of water for at

least 15 minutes, opening her eyes. Consult a doctor if the problem

persists.

Recommendations:

Need to consult immediately a Doctor
 Possibility of delayed effects after exposure
 Move the exposed individual from exposure place to outdoor
 NO

Remove individual's clothes and shoes

YES

Contaminated clothes handling
 For first aid responders, wear IPD
 YES

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes and skin and inhalation may cause irritation due to the abrasive action of the dust

4.3 Indication of any immediate medical attention

there are no known specific provisions

5. FIRE PREVENTION

5.1 Extinguishing means

Suitable extinguishing means: water spray, foam.

Non suitable extinguishing powder

means

5.2 Special hazards arising from the mixture

In certain conditions the mixture of coal dust and air can give rise to an explosive atmosphere.

5.3 Advice for firefighters

Avoid raising dust clouds. Normal clothes to fight the fire, like a compressed air breathing apparatus open circuit (EN137), complete with flame retardant (EN469), flame-resistant gloves (EN659) and boots for firefighters (HO A29 or A30).

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and procedures in case of emergency

6.1.1. For non-emergency personnel

Keep away in case of dust clouds

6.1.2. For emergency responders

If you use a dry protective breathing (P2 filter mask), and dust-proof gloves.

6.2 Environmental precautions:

no special precautions are required.

6.3 Methods and materials for containment and cleaning up

6.3.1. Recommendations on how to contain a spill

Recover the product dispersed and wash the residue with plenty of water.

According to Regulation n. 1907/2006 and Regulation 830/2015 CARBO FAST FAGC1PD10 CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10E



Revision n. IV dd 01.21.2019 Replaces revision n III dd 06.01.2015

6.3.2. Recommendations on how to clean up a spill

Prevent sewers contamination by fire extinguishing water. Dispose of via a licensed waste disposal contractor. To avoid rise of dust clouds, spray water on dry dust.

6.3.3. Other informations:

None

6.4 Reference to other sections:

_

7. HANDLING AND STORAGE

7.1. Precautions for safe handling:

7.1.1. General recommendations

Avoid raising dust clouds. Keep any dust clouds away from sources of ignition. The activated carbon removes oxygen from humid air, causing serious hazards to people who are in environments in basal level of oxygen. Must be adhered to the work procedures appropriate for operations in environments with low oxygen potential.

7.1.2. General recommendations on personal hygiene

do not eat, drink or smoke in work areas; Wash hands thoroughly after use and remove contaminated clothing and protective equipment before entering areas where you eat.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Managing the risks associated with explosive atmospheres, corrosive conditions, dangers of flammability, incompatible substances and mixtures, evaporation conditions, potential ignition sources

In certain conditions the mixture of coal dust and air can give rise to an explosive atmosphere.

7.2.3. Containment of the effects of weather conditions, pressure, temperature, sunlight, humidity and vibrations

Store in original closed container

7.2.4. Precautions for maintaining integrity of the substances

Keep away from oxidizing, unsaturated oils, gases or vapors, direct sources of heat, naked flames and other sources of ignition and direct sunlight.

7.2.5. Provisions on ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities

None

7.3. Specific end use

Catalyst for synthesis

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

The national occupational exposure limit values for this mixture have not been established occupational exposure limit values and biological. Below shows the limit values for substances

Activated carbon

Germany: exposure limits – breathable fraction: 1.5 mg / m3 (long-term)

According to Regulation n. 1907/2006 and Regulation 830/2015 CARBO FAST FAGC1PD10 CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10E



Revision n. IV dd 01.21.2019 Replaces revision n III dd 06.01.2015

Germany: exposure limits – breathable fraction: 4 mg / m3 (long-term)

Temporary inhalation DNEL long-term (repeated): Industrial workers: 3 mg / m3

Professional workers: 3 mg / m3

Consumers: 0.5 mg / m3

8.2. Exposure controls:

8.2.1. Appropriate engineering controls

If moist, with low dust levels, does not require any measure of risk management

8.2.2. Individual protection measures, such as personal protective equipment

Protection Eye / face wear safety glasses

Skin protection (Hands)Normal work clothes and gloves

Respiratory protection If moist, with low dust levels, does not require any

measure of risk management

Thermal hazards None

8.2.3. Environmental exposure controls

Emissions from the production processes, including those from ventilation should be

monitored for the purposes of compliance with environmental protection

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Basic Information on physical and chemical properties

Appearances Wet Powder

Colour Black

Odour Odourless

Odour Threshold Not applicable

pH 6-7 at 50 g/l 20°C (mixture)

Melting point/freezing Not applicable

Initial boiling point and boiling range: Not applicable

Flash point Not applicable

Evaporation Rate Not applicable

Flammalability (solid & gas) Not applicable

Upper/Lower flammability or explosiveNot applicable

limits

Vapour pressure Not applicable

Vapour Density Not applicable

9.

According to Regulation n. 1907/2006 and Regulation 830/2015 CARBO FAST FAGC1PD10 CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10E



Revision n. IV dd 01.21.2019 Replaces revision n III dd 06.01.2015

Bulk density 400 kg/m³

Solubility in water insoluble

Partition coefficient n-octanol/Water Not applicable

Auto-ignition Temperature 460° C

Decomposition TemperatureNot applicable

Viscosity Not applicable

Explosive PropertiesNot classified as explosive

9.2. Other informations

None

10. STABILITY AND REACTIVITY

10.1 Chemical Reactivity

Catalitical properties

10.2 Chemical stability

This product does not show reactivity in the conditions of storage, shipment anduse as

specified.

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

Try to prevent the material dries completely

10.5 Incompatible materials

Oxidizing substances

10.6 Hazardous decomposition products

CO, CO₂

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects of activated carbon

Acute toxicity: - **Oral**: Acute toxicological classification

method (OECD 423): LD50> 2000 mg / kg

(rat)

- Inhalation: Acute standard method of

classification: LC50> 8.5 mg / I

- Skin: Absorption highly unlikely. There are

no known effects on health

Corrosion / irritation not irritating and corrosive to skin **Eye irritations/damages** not irritating and corrosive to eyes

Sensitizationnot sensitizing.MutagenicityNot mutagenicCarcinogenicity:Not carcinogenic

Reproductive toxicity Not toxic

According to Regulation n. 1907/2006 and Regulation 830/2015 CARBO FAST FAGC1PD10 CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10E



Revision n. IV dd 01.21.2019 Replaces revision n III dd 06.01.2015

repi	aces revision ii	III uu 00.01.2013				
		Specific target organ toxicity (STOT) -	no data available			
		single exposure	no data avanable			
		Specific target organ toxicity (STOT) -	no data available			
		repeated exposure	no data avanasic			
		Inhalation hazards	no data available			
	11.2	Information about exposure routes	no data avallable			
	11.2					
12.		None				
12.		Ecological informations	New toyie The waisture is bight	من ماطیبام ممنی		
		Aquatic Toxicity	Non-toxic. The mixture is highly			
			water and is unlikely to cross b	iologicai		
			membranes			
		Persistence and degradability	The substance is a refractory m			
			subject to decomposition by ar			
			chemical or enzymatic process			
		Bioaccumulative potential	The mixture does not bioaccun	nulate		
		Mobility in soil	No relevant data			
		Results of PBT and vPvB evaluation	Not applicable			
		Other adverse effects	None			
13.		DISPOSAL CONSIDERATIONS				
	13.1.	13. Methods of Waste Treatment:				
		Either the mixture or packages must b	e sent to approved facilities for	the disposal of		
		industrial waste				
14.		TRANSPORT INFORMATION				
		14. ADR / RID (Land Transport): Not subject. For the preparation of this mixture is				
		used a coal steam-activated and consequently is not classified as dangerous				
		goods. Reference ADR special provision 646				
		ICAO / IATA (air transport): is not subject				
		IMDG (sea transport): is not subje	ect			
15.		REGULATORY INFORMATION				
	15.1	9	e	Applicabilità		
		Reg. (CE) 1907/2006/CE Reach		SI		
		Reg. (EC) 1272/2008 and subsequent	Reg. (EC) 1272/2008 and subsequent CLP. amendments and			
		additions				
			Reg. (EC) 2037/2000 "substances that deplete the ozone layer" NO			
		Reg. (EC) 850/2004 "Persistent organ	ic pollutants"	NO		
		Reg. (EC) 689/2008 "export and impo	rt hazardous chemicals"	NO		
		Substance listed in Annex I of Dir. 96,	NO			
		Directive, which was transposed into national legislation by the				
		Legislative Decree 334/99				
		Italian Legislative Decree 81/2008 (Co	SI			
		protection of health and safety in the workplace), as amended				
		Directive 2014/103/UE "Adr"		NO		
	15.2	Chemical Safety Assessment				
		A chemical safety assessment has not	been carried out.			
16.		OTHER INFORMATION				
	16.1	Data compared to the previous version	on:			

According to Regulation n. 1907/2006 and Regulation 830/2015 CARBO FAST FAGC1PD10 CARBO FAST FAGC1PD10E CARBO FAST FAGC3PD10 CARBO FAST FAGC3PD10E



Revision n. IV dd 01.21.2019 Replaces revision n III dd 06.01.2015

Modified sections 1 and 3

16.2 Abbreviations and acronyms

ADR: European Agreement on the transport of dangerous goods by road RID: International Regulations on the Transport of Dangerous Goods by Rail.

IMDG: International Marine Code for Dangerous Goods

IATA: the international air transport association

IATA-DGR: Dangerous Goods Regulations' Association aviation

ICAO: International Civil Aviation.

ICAO-TI: Technical Instructions by the international Civil Aviation Organization GHS: Globally Harmonized System of Classification and Labelling of Chemicals.

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

16.3 Key literature references and sources of the data on this MSDS:

http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances platform ESIS http://esis.jrc.ec.europa.eu

Safety data sheets of the suppliers of substances used in the formulation

16.4 Classification and procedure used to derive it in accordance with Reg. (EC) 1272/2008 in relation to the mixtures.

Classification according to Regulation

Classification Procedure

(CE) 1272/2008

Not Dangerous Method of calculation

16.5. Formazioni adeguate per i lavoratori al fine di garantire la protezione della salute umana e dell'ambiente

- Training in accordance with the provisions of the Legislative Decree 81/2008 (Consolidated Act on protection of health and safety in the workplace), as amended.
- PPE use

16.6. Other informations

None