

Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

	Product identifier					
	Chemical name	AG OXID	XIDE			
	Registration number	A REACH	registration n	umber is not available for this product		
		as the ar	nual quantity	produced or imported is less than one		
		ton.				
	C.A.S.	20667-12	2-3			
	CE Number	243-957-	-1			
	Molecular weight	231,74 g				
	Brute formula	Ag ₂ O				
	Product code	61				
1.2	Relevant identified uses of	the substar	ice or mixture	and uses advised against		
	Intended uses	Industrial	use			
	Advised against uses	Check sec	tion 15			
1.3	Details of the supplier of th	e safety da	ta sheet			
	Name	-	AGGI ENRICO S	.P.A.		
	Adress	V	ia Majorana, 1	01/103 50019 Sesto Fiorentino FI		
	Telephone number		55311861	-		
	Fax number		55311791			
	Competent person responsi					
	the safety data sheet		renzo.magaldi	@faggi it		
1.4	Emergency telephone num		-	elpline operating in England, in Scotland		
1.4	Emergency telephone num			Wales (NHS Direct Wales)		
ΗΔ7ΔR	DS IDENTIFICATION	(i	115 24) and m			
2.1		nce or mixtu	ire according	to Regulation (EC) n. 1272/2008		
2.1	Hazard classes	Category	-	Hazard statements		
	Ox. Sol.	category		H271		
	Eye Damage		1			
				LI210		
			1	H318		
	Aquatic Acute		1	H400		
	Aquatic Acute Aquatic Chronic					
2.2	Aquatic Acute Aquatic Chronic Label elements		1	H400		
2.2	Aquatic Acute Aquatic Chronic	•	1	H400		
2.2	Aquatic Acute Aquatic Chronic Label elements		1	H400		
2.2	Aquatic Acute Aquatic Chronic Label elements		1	H400		
2.2	Aquatic Acute Aquatic Chronic Label elements	DANGER	1	H400		
2.2	Aquatic Acute Aquatic Chronic Label elements Pictograms	DANGER	1	H400		
2.2	Aquatic Acute Aquatic Chronic Label elements Pictograms Signal words	DANGER H271	1	H400		
2.2	Aquatic Acute Aquatic Chronic Label elements Pictograms Signal words		1	H400 H410		
2.2	Aquatic Acute Aquatic Chronic Label elements Pictograms Signal words		1	H400 H410 May cause fire or explosion;		
2.2	Aquatic Acute Aquatic Chronic Label elements Pictograms Signal words	H271	1	H400 H410 May cause fire or explosion; strong oxidiser.		
2.2	Aquatic Acute Aquatic Chronic Label elements Pictograms Signal words	H271 H318	1	H400 H410 May cause fire or explosion; strong oxidiser. Causes serious eye damage. Very toxic to aquatic life with		
2.2	Aquatic Acute Aquatic Chronic Label elements Pictograms Signal words	H271 H318	1	H400 H410 May cause fire or explosion; strong oxidiser. Causes serious eye damage.		

2.



Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

		and other ignition sources. No smoking.			
	P306+P360	IF ON CLOTHING: Rinse immediately contaminated			
		clothing and skin with plenty of water before removing clothes.			
	P371+P380+P375	In case of major fire and large quantities: evacuate area. Fight			
		fire remotely due to the risk of explosion.			
	P391	Collect spillage.			
r hazards	It does NOT contain PBT / vPvB substances according to				
	Regulation (EC) 1907/2006, annex XIII.				
	It does NOT contain substances that interfere with the				
	endocrine system in accordance with Regulation (EC) 1907/2006				
	art.59 paragraph 1 and in accordance with the criteria				
	established in Regulation (EU) 2018/605.	2017/2100 and Regulation (EU)			

20667-12-3

243-957-1

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance SILVER OXIDE CAS Number CE Number

INDEX number	Not available
ATE	Not applicable
M factor acute toxicity	100
M factor chronic toxicity	100

4. FIRST AID MEASURES

2.3

Other

4.1 Description of first aid measures

Inhalation	Immediately take to fresh air. If breathing is difficult, give oxygen. Artificial respiration if necessary.
Ingestion	Do not induce vomiting. Wash the injured person's mouth. Call a doctor immediately.
Skin contact	Remove contaminated clothing and wash thoroughly with plenty of water and mild soap. Call a doctor immediately.
Eye contact	Rinse with plenty of running water for at least 15 minutes while keeping the eyelids open (remove contact lenses if it is easy to do so). Call a doctor immediately.
Recomendation:	

Need to see a doctor immediately	YES
Possibility of delayed effects following exposure	YES
 Move the exposed individual from the place of exposure to the open air 	YES
Remove the clothing and shoes of the exposed individual	YES
How to handle contaminated clothing	With gloves
• For those providing first aid, wear DPI	YES
Next important symptoms and offects both south and delayed	

4.2 Most important symptoms and effects, both acute and delayed



Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

Destruction of the skin tissue, i.e. a visible necrosis of the epidermis and part of the dermis (reactions after exposure between three minutes and an hour and observations up to 14 days).

4.3 Indication of any immediate medical attention and special treatment needed Consult a doctor immediately.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing mediaCO2, powder or water spray extinguishers.Non suitable extinguishingNonemediaNone

5.2 Special hazards arising from the substance or mixture

Although the substance or mixture is not combustible, it can - generally by releasing oxygen - cause or favor the combustion of other materials.

5.3 Advice for firefighters

Normal fire-fighting clothing, such as self-contained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659) and firefighter boots (HOA29 or A30)

Protective measures to be taken:

Remove the containers from the fire area, if this is possible without risk, or cool them, since if the substance is exposed to thermal radiation or if it is directly involved it can give rise to toxic fumes and explosions.

Damaged containers should only be handled by authorized skilled personnel.

Proceed to extinguish the fire at a safe distance from the containers using hoses or automatic fire extinguishing systems with nozzles positioned above the containers

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

6.1.1. For non-emergency personnel

Evacuate the contaminated area.

6.1.2. For emergency responders

Wear protective equipment (anti-acid protective gloves and clothing and eye protection).

Provide adequate ventilation of the premises.

Whenever possible, operate above wind.

Avoid coming into contact with the substance or handling the containers without adequate protection.

Isolate the area until the substance is completely dispersed.

6.2 Environmental precautions

Evacuate the dangerous area and minimize the affected area by containing the leak. Collect the material and store it in a suitable container pending disposal. Do not allow the spill to reach sewers or natural water courses and if it was not possible to immediately notify the competent authorities.

6.3 Methods and material for containment and cleaning up

6.3.1. Advice to contain a spill

Limit the spreading with sand, bentonite or similar. Do not use sawdust or other flammable materials.

6.3.2. Advice to clean-up a spill

- Wash the area with plenty of water.
- 6.3.3 Any other information



Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

None

6.4 Reference to other sections

None

7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
 - 7.1.1. Raccomentations to manipulate the substance or the mixture in a safe manner, such as containement measures and prevention of fire and aereosol and powders formation

Use substance only with adequate ventilation and aspiration and with emergency eye wash nearby.

7.1.2. General recommendation on work hygiene Do not eat, drink, or smoke in work areas; wash hands thoroughly after use and remove contaminated clothing and protective equipment before entering areas where you eat.

7.2. Conditions for safe storage, including any incompatibilities

- 7.2.1. Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources Keep in sealed and labeled containers, separately or only with other oxidizing substances and away from sources of heat and ignition.
- **7.2.2.** Control of weather conditions, ambient pressure, temperature, sunlight, humidity, and vibration

Store at temperatures below 15 ° C and away from sunlight.

- **7.2.3. Conditions for keeping substances / mixtures intact** Keep in a cool and dry place
- 7.2.4. Advice regarding the ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities Storage rooms must be ventilated and closed.
- 7.3. Specific end use(s)

Industrial use

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

ECTLV TWA 0,01 mg/m3 OEL (IT) TWA 0,01 mg/m3 DNEL e PNEC : N.D.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Periodically carry out personal environmental sampling and clinical examinations.

8.2.2. Individual protection measures, such as personal protective equipment

Eye/face protection	Protective equipment for the eyes compliant with
	Directive 89/686 / EEC and standard EN166: 2001
Skin protection (hands)	Gloves compliant with EN420 E374 standards
Skin protection (body)	Protective and antacid clothing compliant with UNI
	EN 13034: 2006 type 6 standards
Respiratory protection	Mask with B, P2 or ABEK P3 filters or self-contained
	breathing apparatus



Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

			Thermal hazards		lothing compliant with UNI EN ISO	
				11612: 2009 A1-B1-C1-E1		
		8.2.3.	Environmental exposure controls			
			Maintain suction in all environments where silver nitrate is used, using localized			
			collection and ambient air exchange systems. Convey the aspirated volumes to			
			an abatement system and then into the atmosphere. Do not use air recirculation			
			suction systems. Avoid any spill into the environment.			
9.	PHYSICA	L AND CHEMI	NICAL PROPERTIES			
	9.1	Information	ation on basic physical and chemical properties			
			Physical state		Solid powder	
			Colour		dark brown	
			Odour		Odorless	
			Melting point/freezing po	oint	The substance does not melt but	
					decomposes	
			Boiling point or initial boil	ling point	Not applicable	
			and boiling range			
			Flammability		Not inflammable	
			Lower and upper explosic	on limit	Not explosive	
			Flash point		Not inflammable	
			Auto-ignition temperature		Not inflammable	
			Decomposition temperate	ure	230 - 280 ° C	
			рН		Not applicable	
			Kinematic viscosity		Not applicable	
			Solubility		Insoluble in water	
			Partition coefficient n-oct	anol/water	Insoluble in n-octanol	
			(log value)			
			Vapour pressure		Not applicable	
			Density and/or relative de	ensity	7.2 g / cm ³	
			Relative vapour density		Not applicable	
			Particle characteristics		Particle size D_{10} : 2.2 μ m	
					Particle size D_{50} : 3.9 μ m	
		- · · ·	_		Particle size D ₉₀ : 6.8 µm	
	9.2.	Other inform	nation			
		None.				
10.	-	Y AND REACT				
	10.1	Reactivity			and the second sec	
		•	product has oxidizing characteristics. It can decompose slowly when exposed to sunlight			
	10.2		ormation of metallic Ag.			
	10.2	Chemical sta	-			
	10.2	The product				
	10.3	•	f hazardous reactions	form of duct	ammonia othulalaahal hudraainaa	
					ammonia, ethyl alcohol, hydrazines,	
			anic nitro compounds, carbo on or formation of flammab		anors with:	
		-		-	•	
		sulfur, hydrogen sulphide, selenium, sulphides, phosphorus, combustible substances.				

Exothermic reaction with magnesium.

10.4 Conditions to avoid

Heating



Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

- 10.5 **Incompatible materials**
 - See point 10.3
- 10.6 Hazardous decomposition prodoucts None

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (CE) No 1272/2008

Acute toxicity	DNEL (Derived No Effect Level)
Acute toxicity	0.107 mg/m^3
	0.
	LD50 (orale) Effect level> 10000
	mg/kg bw
	LC50 (inalazione) (male and female
	rats; 4 h) > 750 μg/m^3
	LD50 (derma) > 2000 mg/kg
Skin corrosion/irritation	Based on available data, the
	classification criteria are not met
Serious eye damage/irritation	Corrosive to the eyes
Respiratory or skin sensitization	Based on available data, the
	classification criteria are not met
Germ cell mutagenicity	Based on available data, the
	classification criteria are not met
Carcinogenicity	Based on available data, the
	classification criteria are not met
Reproductive toxicity	Based on available data, the
	classification criteria are not met
(STOT) single exposure	Target organs: eyes, skin
(STOT) repeated exposure	Target organs: skin
• • • •	

11.2 Information on other hazards

The main ailment due to poisoning from silver and its salts is called argyria: it usually appears following the intake of silver for long periods (months) and appears as a skin alteration that permanently colors the skin blue, usually not has other associated disorders and is therefore a substantially aesthetic problem.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

PNEC aqua (freshwater) 0.04 µg/L PNEC aqua (marine water) 0.86 µg/L PNEC STP 0.025 mg/L PNEC sediment (freshwater) 438.13 mg/kg sediment dw PNEC sediment (marine water)438.13 mg/kg sediment dw PNEC soil 1.41 mg/kg soil dw LC50 96 h (fish) 1.2 µg/L The 28 day NOEC (mortality and gr/owth) is 130 µg dissolved Ag/L Not degradable Log Pow = n.a.BCF = 70 Scientifically not justified studies

- 12.2 Persistence and degradability
- 12.3 **Bioaccumulative potential**
- 12.4 Mobility in soil



Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

13.	12.5 12.6 12.7 DISPOSA 13.1.	Results of PBT and vPvB assessment Endocrine disrupting properties Other adverse effects L CONSIDERATIONS Waste treatment methods Either the mixture or packages must be sent to a	Not applicable No known effects No know effects	sposal of	
		industrial wastes.	approved facilities for the di	sposaror	
14.	TRANSPO	DRT INFORMATION			
	14.1	UN number or ID number	UN 1479		
	14.2	UN proper shipping name	Oxidising solid, n.o.s.		
	14.3	Transport hazard class(es)	5.1		
	14.4	Packing group	I		
	14.5	Environmental hazards	YES		
	14.6	Special precautions for user	Not applicable		
	14.7	Maritime transport in bulk according to IMO	Not applicable		
		instruments			
15.		TORY INFORMATION			
	15.1	1 Safety, health and environmental regulations/legislation specific for Applie			
		the substance or mixture Reg. (CE) 1907/2006/CE Reach YES			
		Reg. (CE) 1907/2006/CE Reach			
		Reg. (CE) 1272/2008 CLP and subsequent amendements			
		Reg. (CE) 2037/2000 "Substances that deplete t	NO		
		Reg. (CE) 850/2004 "Persistent organic pollutar		NO	
		Reg. (CE) 689/2008 "Export and import of hazar		NO	
		Substance listed in Annex I of Dir. 2012/18/EU		YES	
		Directive 81/2008 Consolidated Act on protection of health and work YES safety			
		Directive 2014/103/UE "Adr"		YES	
		Reg. (CE) 1907/2006/CE Reach art. 59 – Candida	ate List of Substances	NO	
		of Very High Concern (SVHC)			
		Reg. (CE) 1907/2006/CE Reach - Annex XIV – Au	uthorisation List	NO	
		Reg. (CE) 1907/2006/CE Reach - Annex XVII – R		Limited use	
		https://echa.europa.eu/it/substances-restricte	d-under-reach	Item 75	
		····		(check link)	
	15.2	Chemical safety assessment			
		A chemical safety assessment was not carried ou	ut.		

16. OTHER INFORMATION

Changes compared to the previous edition

Adaptation to current legislation. Amendment to section 14.

Acronim and abbreviation legend

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstract Service

Main references and data sources

ECHA's data bank on registered substances and soon to be registered substances: http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances



Revision XIII of 22.11.2022 Replaces revision. XII of 09.06.2022

Adequate training for workers to guarantee the protection of human health and the environment

Training on the chemical risk ex Directive 81/08 Title IX dangerous substances Training on DPI