

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
 Replaces revision n. III – 29.06.2017

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
 Chemical name Sodium cyanide
 Product code SOCI 01
 C.A.S. Registry Number 143-33-9
 EINECS Number 205-599-4
 Molecular weight 006-007-00-5
 Brut formula 49,01 g/mol
 Commercial name NaCN
 REACH registration number 01-2119480141-49-XXXX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
 Intended uses Industrial use
 Uses advised against See section 15
- 1.3 Details of the supplier of the safety data sheet**
 Name FAGGI ENRICO S.P.A.
 Address Via Majorana, 101/103 50019 Sesto Fiorentino FI
 Telephone number 055311861
 Fax number 055311791
 Competent person responsible for the safety data sheet lorenzo.magaldi@faggi.it
- 1.4 Emergency telephone number** 111 - Medical helpline operating in England, in Scotland (NHS 24) and in Wales (NHS Direct Wales)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Hazard classes	Category codes	Hazard statements
Met. Corr.	1	H290 May be corrosive to metals.
Acute Tox.	1	H300 Fatal if swallowed.
Acute Tox.	1	H310 Fatal in contact with skin.
Acute Tox.	1	H330 Fatal if inhaled.
STOT RE	1	H372 Causes damage to organs through prolonged or repeated exposure. Exposure route: oral and inhalation Target organs: thyroid
Aquatic Acute	1	H400 Very toxic to aquatic life.
Aquatic Chronic	1	H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Pictograms



Signal words

DANGER

Hazard statements

H290 It can be corrosive to metals

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
 Replaces revision n. III – 29.06.2017

	H300	Fatal if ingested
	H310	Fatal in contact with skin
	H330	Fatal if inhaled
	H372	Causes damage to organs through prolonged or repeated exposure
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects
Additional hazard statement / identification elements (EU)	EUH032	Contact with acids liberates very toxic gas
Precautionary statements	P270	Do not eat, drink or smoke during use
	P273	Do not disperse in the environment
	P280	Wear protective gloves / clothing / eye protection / face protection
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor
	P302+P352	IF ON SKIN: Wash thoroughly with soap and water.
	P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
	P403+P233	Keep container tightly closed and in a ventilated place

2.3 Other hazards

Hydrocyanic acid can cause all levels of poisoning. Under the action of acids (including carbon dioxide) hydrogen cyanide is released, which is flammable and can form explosive gaseous mixtures together with air. Avoid contact with acids, air humidity, water. Does NOT contain PBT/vPvB substances in accordance with Regulation (EC) 1907/2006, attachment XIII It does NOT contain substances that interfere with the endocrine system in accordance with regulation (EC) 1907/2006 art.59 paragraph 1 and in compliance with the criteria established in Regulation (EU) 2017/2100 and Regulation (EU) 2018/605.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1

CAS Number	143-33-9
EINECS Number	205-599-4
INDEX Number	Not available
ATE (oral)	LD50 5.09 mg/kg bw (rat)
ATE (inhalation)	LC50 (60 min) 63 ppm (rat)
ATE (dermal)	LD50 7.35 – 200 mg/kg bw (rabbit)
M factor (acute)	1
M Factor (chronic)	10

4. FIRST AID MEASURES

4.1 Description of first aid measures

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
 Replaces revision n. III – 29.06.2017

Inhalation	Inhalation is possible if aerosols, mists, dusts or fumes are formed. No mouth-to-mouth or mouth-to-nose resuscitation. Use artificial respiration bag or artificial respirator. Danger of intoxication. Keep the respiratory tract clean. In case of shortage of air, give oxygen. Call a doctor immediately for first aid (keyword: poisoning with cyanide / hydrogen cyanide).
Ingestion	Rinse mouth. Immediately drink plenty of water. Induce vomiting. Call a doctor for first aid immediately (keyword: poisoning with cyanide / hydrogen cyanide)
Contact with skin	If dry, undamaged skin comes into contact with dry sodium or potassium cyanide, no cyanide poisoning has been observed so far. In case of contact with skin, wash with plenty of soap and water. With symptoms of intoxication, alarm the emergency doctor immediately (keyword: cyanide poisoning / hydrogen cyanide).
Contact with eyes	The use of special washing solutions with a high buffer capacity (e.g. borate buffer solution, diphtotherine, etc.) is recommended as part of first aid measures. Keeping the eye open, immediately rinse thoroughly with plenty of water for at least 10 minutes. With symptoms of intoxication alarm the emergency doctor immediately (keyword: intoxication with cyanide / hydrogen cyanide)

Recommendations:	YES
• Need to see a doctor immediately	YES
• Possibility of delayed effects following exposure	YES
• Move the exposed individual from the place of exposure to the open air	YES
• Remove the clothing and shoes of the exposed individual	With gloves
• How to handle contaminated clothing	YES

4.2 Most important symptoms and effects, both acute and delayed

Possible signs of poisoning: It seems appropriate to differentiate between two stages:

1. Slight intoxication
2. Severe intoxication

The following symptoms do not provide sure indications of prognosis.

Central nervous system symptoms:

Initial stage: headache, dizziness, drowsiness, nausea.

Advanced stage: convulsions, coma.

Pulmonary symptoms:

Initial stage: dyspnea, tachypnea.

Advanced stage: hypoventilation, Cheyne-Stokes breathing, apnea

Cardiovascular symptoms:

Initial stage: Hypertonia, sinus node arrhythmia, AV node arrhythmia, bradycardia.

Advanced stage: tachycardia, complex arrhythmias, cardiac arrest.

Skin symptoms:

Initial stage: Red complexion.

Advanced stage: Cyanosis.

Effect on metabolism: Lactate acidosis at pH 7.1 and lactate levels up to 17 mm / liter have been described.

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
Replaces revision n. III – 29.06.2017

4.3 Indication of any immediate medical attention and special treatment needed

Get immediate medical attention or contact a poison control center

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media alkaline fire fighting powder.
Unsuitable extinguishing media water, carbon dioxide (CO₂), foam, acid fire fighting material, acid fire fighting powders.

5.2 Special hazards arising from the substance or mixture

In the event of a fire, hydrogen cyanide can be released.

5.3 Advice for firefighters

General information:

Prevent the water used to extinguish the fire from flowing into the sewer, groundwater or surface water.

Equipment:

Normal firefighting clothing, such as self-contained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659) and firefighter boots (HOA29 or A30)

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Keep away from contaminated area and keep upwind

6.1.2. For emergency responders

Wear:

Semi-face masks with ABEK2P3 filters compliant with the EN14387: 2004 standard
Chemical risk gloves compliant with EN420 and EN374 standards
Splash goggles compliant with Directive 89/686 / EEC and standard EN166: 2001
Complete clothing compliant with the UNI EN 13034: 2006 type 6 standard

6.2 Environmental precautions

Do not send the product to the following compartments:

- ground
- ground water
- sewer

In case of pollution of rivers, lakes or sewers, inform the competent authorities in accordance with local laws.

In the event of a fire, the extinguishing water must not reach the sewers, the groundwater, or the surface waters. In the event of a fire, remove the endangered containers and take them to a safe place, if it can be done safely.

6.3 Methods and material for containment and cleaning up

6.3.1. Advice in order to contain a spill

Close (if possible) or cover drains

6.3.2. Advice in order to clean-up a spill

1. solid substance:

Collect mechanically. Collect in suitable containers. The collected material must be reused or disposed of according to regulations. To absorb the spilled substance, it is recommended to use an approved industrial vacuum cleaner.

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
Replaces revision n. III – 29.06.2017

2. solution:

Absorb with liquid retaining material, for example: inert absorbent medium, diatomaceous earth or acid absorbent. Collect mechanically. Collect in suitable containers. The collected material must be reused or disposed of according to regulations.

6.3.3 Other information

The substance, the packaging, the fire extinguishing water and the remains of any fire must be sent to an appropriate disposal facility, in compliance with waste regulations.

6.4 Reference to other sections

None

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. *Raccomentations in order to manipulate the substance or the mixture in a safe manner, such as containment measures and prevention of fire and aerosol and powders formation*

Avoid the formation of dust and keep away from incompatible materials (acids, acid salts, aluminum). Use only under a suction hood. Keep fire extinguishers and means of containment such as inert absorbent media, diatomaceous earth or absorbent for acids nearby.

7.1.2. *General recommendation on work hygiene*

Do not eat, drink and smoke in work areas. Wash your hands after use. Remove contaminated clothing and protective equipment before entering eating areas

7.2. Conditions Safe storage, including any incompatibilities

7.2.1. *Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources*

The product itself does not burn but if involved in a fire it can release toxic gases.

Suitable containers: plastic.

In case of release of hydrogen cyanide: The formation of flammable or explosive dust / air mixtures is possible.

Keep suitable fire extinguishers and plenty of water near the substance.

Open the containers under suction and close them immediately after use.

7.2.2. *Control of weather conditions, ambient pressure, temperature, sunlight, humidity, and vibration*

Keep in a locked and ventilated place. Protect against solar radiation and the action of heat.

7.2.3. *Conditions to maintain the integrity of the substance or mixture*

Store in original containers. Keep the containers tightly closed and store them in a dry and well ventilated, clean, dry, closable place.

7.2.4. *Advice regarding the ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities*

Do not store near: acids and acid salts.

Keep the substance in locked storage and with forced ventilation.

Use ADR approved packaging permitted for the UN number UN1684 G.I. THE

If stored in quantities exceeding 50 kg, you must be in possession of authorization for custody and conservation issued by the Toxic Gas Commission and must be kept in an authorized cabin with forced ventilation

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
Replaces revision n. III – 29.06.2017

- 7.3. Specific end use(s)**
Industrial use
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
- 8.1. Control parameters**
Time Weighted Average (TWA): 1.0 mg/m³ on 8 hours
Short Term Exposure Limit (STEL): 5 mg/m³ for 15 minutes
- 8.2. Exposure controls**
Provide appropriate air extraction / evacuation in the workplace and on the operating machine.
Provide for the installation of an emergency shower and an eye shower.
- 8.2.1. Appropriate engineering controls**
It is possible to evaluate the installation of a detector of diffuse emissions of hydrogen cyanide in the workplace.
- 8.2.2. Individual protection measures, such as personal protective equipment**
- | | |
|--------------------------------|--|
| Eye/face protection | Goggles with side shields compliant with Directive 89/686 / EEC and with standard EN166: 2001 |
| Skin protection (hands) | Gloves material : <ul style="list-style-type: none">• Natural latex (NR) Material thickness 0.5 mm Breakthrough time ≥ 480 min Method DIN EN374• Nitril Material thickness 0.11 mm• Breakthrough time ≥ 480 min Method DIN EN374• Nitril Material thickness ,33 mm Breakthrough time ≥ 480 min Method DIN EN374• Polychloroprene with natural latex coating Material thickness 0.6 mm Breakthrough time ≥ 480 min Method DIN EN374 |
| Skin protection (body) | Complete clothing compliant with the UNI EN 13034: 2006 type 6 standard
When cleaning: rubber or plastic boots |
| Respiratory protection | When hydrogen cyanide occurs:
Wear self-contained breathing apparatus. Observe the maximum times of use of respiratory protection.
In case of dust / aerosol:
Respirator with combined filter B-P3
Respirator with combined filter ABEK-P3 |
| Thermal hazards | The substance does not present thermal hazards |
- 8.2.3. Environmental exposure controls**
Prevent the spillage of solutions containing cyanide in groundwater, soil, sewers. Provide for closing the manholes while moving the solutions. Do not store in areas with sewage drains.
- 9. PHYSICAL AND CHEMICAL PROPERTIES**
- 9.1 Information on basic physical and chemical properties**
- | | |
|--|----------------|
| Physical state | Solid |
| Colour | White |
| Odour | Characteristic |
| Melting point/freezing point | 561.7 °C |
| Boiling point or initial boiling point and boiling range | 1500 °C |

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
 Replaces revision n. III – 29.06.2017

Flammability	Not flammable
Lower and upper explosion limit	Not explosive
Flash point	Not flammable
Auto-ignition temperature	Not flammable
Decomposition temperature	Not available data
pH	Not available data
Kinematic viscosity	Not applicable
Solubility	370 g/L @ 20 °C and pH 7
Partition coefficient n-octanol/water (log value)	Log Kow - 0.25 @ 20 °C and pH 7
Vapour pressure	1 hPa @ 800 °C
Density and/or relative density	1.595 @ 20 °C
Relative vapour density	1.8 hPa @ 634.5 °C
Particle characteristics	Solid sodium cyanide is commercially supplied with particle size between 40 and 355 microns: therefore only a negligible fraction can reach the deep respiratory tract.

9.2. Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

Danger of hydrocyanic acid formation in contact with acids, carbon dioxide, air humidity

10.2 Chemical stability

The product is stable under normal storage conditions

10.3 Possibility of hazardous reactions

Danger of hydrogen cyanide formation in contact with acids, carbon dioxide, air humidity.

10.4 Conditions to avoid

When heated above 300°C, hydrogen cyanide vapors may form

10.5 Incompatible materials

Acids, acid salts. Over time, even the air can lead to the formation of hydrogen cyanide in a confined environment or in containers that are not hermetically closed.

10.6 Hazardous decomposition products

HCN hydrogen cyanide (hydrogen cyanide)

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Oral: LD50 rat: 5.09 mg / kg bw
 Inhalation : LC50 (60 min) 63 ppm (rat)
 Dermal: LD50 7.35 – 200 mg/kg bw (rabbit)

Skin corrosion / irritation

Scientifically unjustified studies

Serious eye damage/irritation

Scientifically unjustified studies

Respiratory or skin sensitization

Scientifically unjustified studies

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
 Replaces revision n. III – 29.06.2017

	Germ cell mutagenicity	Based on available data, the classification criteria are not met
	Carcinogenicity	Based on available data, the classification criteria are not met
	Reproductive toxicity	Based on available data, the classification criteria are not met
	STOT – single exposure	No data available
	STOT – repeated exposure	NOAEL oral: 1.02 mg/kg bw/day NOAEC inhalation: 3.75 ppm
	Aspiration hazard	Inhalation (about 200 ppm HCN in atmospheric air is enough) or ingestion (about 200 - 300 mg KCN) can cause immediate loss of consciousness and death.
11.2	Information on other hazards	
	It can be absorbed into the skin, particularly if the skin is sweaty or injured.	
12.	ECOLOGICAL INFORMATION	
12.1	Toxicity	PNEC (freshwater): 1 µg/L PNEC (marine water): 200 ng/L Short term toxicity (fish): LC50 (4 days) 98.8 - 103.8 µg/L Short term toxicity (invertebrates): EC50 (4 days) 610 - 1100 µg/L
12.2	Persistence and degradability	No available data
12.3	Bioaccumulative potential	Not bioaccumulative
12.4	Mobility in soil	No data available
12.5	Results of PBT and vPvB assessment	Not applicable
12.6	Endocrine disrupting properties	No known effects
12.7	Other adverse effects	No known effects
13.	DISPOSAL CONSIDERATIONS	
13.1.	Waste treatment methods	This product and its packaging must be disposed of in authorized facilities. A CER code of hazardous waste must be assigned on the basis of the provisions of Directive 2008/98/EC and subsequent amendments and additions. The packaging and labeling of waste must be identical to that of the pure product. Do not remove the labels from the packages until their final destination. Do not reuse empty containers. Hydrocyanic waste may only be treated and decontaminated by authorized companies with: Hydrogen peroxide and pH value 11).
14.	TRANSPORT INFORMATION	
14.1	UN number or ID number	1689
14.2	UN proper shipping name	Sodium cyanide
14.3	Transport hazard class(es)	6.1 toxic
14.4	Packing group	I
14.5	Environmental hazards	Dangerous for the environment
14.6	Special precautions for user	Very toxic
14.7	Maritime transport in bulk according to IMO instruments	n.a

Safety data sheet
According to Regulation n.1907/2006 and Regulation 878/2020
SODIUM CYANIDE



Revisione n. IV – 18.01.2023
 Replaces revision n. III – 29.06.2017

15.	REGULATORY INFORMATION	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Applicability
	Reg. (EC) 1907/2006 / EC Reach	YES
	Reg. (EC) 1272/2008 CLP and subsequent changes and additions	YES
	Reg. (CE) 2037/2000 "Substances that deplete the ozone layer"	NO
	Reg. (EC) 850/2004 "Persistent organic pollutants"	NO
	Reg. (EC) 689/2008 "export and import of dangerous chemicals"	NO
	Substance listed in Annex I of Dir. 2012/18 / EU so-called Seveso	YES
	Legislative Decree 81/2008 Consolidated Law on health and safety at work	YES
	Directive 2014/103 / EU "Adr"	YES
	R.D. 09/01/1927 "Toxic gases"	YES
	Reg. (CE) 1907/2006/CE Reach art. 59 – Candidate List of Substances of Very High Concern (SVHC)	NO
	Reg. (CE) 1907/2006/CE Reach - Annex XIV substances subject to authorisation	NO
	Reg. (CE) 1907/2006/CE Reach - Annex XVII - Restrictions in certain dangerous substances https://echa.europa.eu/it/substances-restricted-under-reach	NO
15.2	Chemical safety assessment A chemical safety assessment is not required because the annual production is below the legislative limit	
16.	OTHER INFORMATION	
	Changes compared to the previous edition Regulatory amendment	
	Acronim and abbreviation legend ADR : Agreement concerning the International Carriage of Dangerous Goods by Road GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstract Service	
	Main references and data sources ECHA's data bank on registered substances and soon to be registered substances: http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances	
	Adequate training for workers in order to ensure the protection of human health and the environment Training on Chemical Risk pursuant to Legislative Decree 81/08 Title IX dangerous substances DPI training • Training for obtaining a license for handling toxic gases	