According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 - 22.08.2025

Replaces revision. 8 – 11.09.2024

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Commercial name Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh

Product code 155

Registration number A registration number is not available for this product as it is

a mixture

UFI code HHK5-U0M7-W007-HGGD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended uses Industrial use. Additive for electroplating

Uses adviced against None in particular

1.3 Details of the supplier of the safety data sheet

Name FAGGI ENRICO S.P.A.

Adress Via Majorana, 101/103 50019 Sesto Fiorentino FI

Telephone number 055311861 Fax number 055311791

Competent person lorenzo.magaldi@faggi.it

responsible for the safety

data sheet

1.4 Emergency telephone 111 - Medical helpline operating in England, in Scotland (NHS

number 24) and in Wales (NHS Direct Wales)

2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture according to Regulation (EC) n. 1272/2008

Hazard class	Category codes	Hazards indications
Skin corrosive	1 A	H314
Eye Dam.	1	H318
Aq. Acute	1	H400
Aq. Chronic	1	H410

2.2 Label elements

Pittogrammi





Signal word Hazard statements	DANGER	
	H314	Causes severe skin burns and eye damage.
	H318	Causes serious eye damage.
	H410	Very toxic to aquatic life with long lasting effects.
Precautionary advice		
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 – 22.08.2025

Replaces revision. 8 – 11.09.2024

		P304+P340	clothing. Rinse skin with water [or shower]. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
		P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P308 + P313	IF exposed or concerned: get medical advice/attention.
		P391	Collect spillage.
	UFI code	HHK5-U0M7-W007-HGGD	, -
2.3	Other hazards	It does NOT contain PBT / vPvl Regulation (EC) 1907/2006, an It does NOT contain substance endocrine system in accordance 1907/2006 art.59 paragraph 1 criteria established in Regulati	nex XIII. s that interfere with the ce with Regulation (EC) and in accordance with the
		Regulation (EU) 2018/605.	(,,

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixure

Product identifier	Concentration %	Classification	
		Hazard classes	Hazard
		Category	statements
		codes	
Dirodium trisulfate	15 ≤ C ≤ 20	Met.Corr 1	H290
CAS 10489-46-0		Skin Corr. 1B	H314
CE: 234-014-5		Eye Dam. 1	H318
INDEX: not available		Aq. Acute 1	H400
REACH N °: exempt for quantity		Aq. Chronic 1	H410
STA: not applicable		Corrosive to	EUH071
M factor (acute): 1		respiratory	
M factor (chronic): 1		tract	
Sulfuric acid	7 ≤ C ≤ 15	Skin Corr. 1 A	H314
CV2 2664-03-0			

CAS 7664-93-9 EC 231-639-5

INDEX 016-020-00-8

Reach No: 01-2119458838-20-XXXX

ATE: not applicable Specific limits:

Skin Corr. 1A: C ≥ 15%

Skin Irrit. 2: H315 $5\% \le C < 15\%$ Eye Irrit. 2: H319 $5\% \le C < 15\%$ M Factors: not applicable

4. FIRST AID MEASURES

4.1 Description of first aid measures

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 – 22.08.2025

Replaces revision. 8 - 11.09.2024

Inhalation Keep the injured person at rest in an airy and warm environment. In

case of respiratory arrest, use artificial respiration methods

Ingestion Do not induce vomiting. Drink plenty of water and consult a doctor

Contact with skin Take off contaminated clothing immediately. Immediately wash skin

with plenty of soap and water. Consult a physician

Contact with eyes Immediately flush eyes with plenty of water while holding the eyelids

apart. Do not use eye drops or ointments. Consult an

ophthalmologist specialist

Recommendations:

Need to see a doctor immediately
 Possibility of delayed effects following exposure

YES

• Move the exposed individual from the place of exposure to the open

airRemove the clothing and shoes of the exposed individualYES

How to handle contaminated clothing
 With gloves

• For first aiders, wear PPE YES

4.2 Most important symptoms and effects, both acute and delayed

Eye, nose and throat irritation, chest pain, choking, skin irritation, corneal burns, skin burn (after severe exposure), nausea, vomiting: Abundant and bleeding mucous secretions, bronchitis, pulmonary edema, corneal necrosis, tissue necrosis, perforation of the gastrointestinal tract.

4.3 Indication of any immediate medical attention and special treatment needed

Consult a physician immediately. Emergency showers and eye washing systems must be available in the workplace.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide, foam.

Unsuitable extinguishing media None in particular

5.2 Special hazards arising from the substance or mixture

If involved in a fire it can develop sulfur oxides, toxic for inhalation.

5.3 Advice for firefighters

Prevent the water used to extinguish the fire from

flowing into the sewer, groundwater or surface water. Cool containers at risk with water.

General information water. Cool containers at risk with water. Normal fire-fighting clothing, such as self-

contained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659) and firefighter

boots (HOA29 or A30)

Equipment

ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Move away from the contaminated area immediately and keep upwind.

6.1.2. For emergency responders

To wear:

Gloves for chemical risks compliant with EN420 EN374 Standards

6.

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 – 22.08.2025 Replaces revision. 8 – 11.09.2024

> Complete clothing compliant with the UNI EN 13034: 2006 standard Semi-face masks with ABEK2P3 R filters conforming to EN14387: 2004 + A1: 2008

6.2 Environmental precautions

Prevent infiltration into the sewer, groundwater, and surface water

6.3 Methods and material for containment and cleaning up

6.3.1. Advice in order to contain a spill

Contain spill with appropriate absorbent material (sand, bentonite) and place in airtight container. Sprinkle the spill with baking soda to neutralize the acidity.

6.3.2. Advice in order to clean-up a spill

Wash the area with plenty of water.

6.3.3 Other information

None

6.4 Reference to other sections

None

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Raccomentations in order to manipulate the substance or the mixture in a safe manner, such as containement measures and prevention of fire and aereosol and powders formation

Keep in original sealed and labeled packaging

7.1.2. General recommendation on work hygiene

Do not eat, drink and smoke in work areas. Wash your hands after use. Remove contaminated clothing and protective equipment before entering eating areas

7.2. Conditions Safe storage, including any incompatibilities

Keep away from bases.

7.2.1. Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources

Store in the original containers and close them immediately after use.

7.2.2 Containment of the effects of weather conditions, pressure, temperature, sunlight, humidity and vibrations

Store in a cool, dry place.

7.2.3. Conditions for keeping substances / mixtures intact

The packages must be well closed and labeled.

7.2.4 Provisions relating to ventilation, specific design of storage rooms or containers, quantitative limits in storage conditions, compatibility of packaging

Use PE and PP plastic packaging or other resistant materials. Keep the packages in a containment basin.

7.3. Specific end use(s)

Industrial use. Additive for electroplating

EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

SULPHURIC ACID

DNEL

Workers

Systemic effects for long-term exposure – inhalation: no hazard identified Systemic effects for short-term exposure – inhalation: no hazard identified Local effects for long-term exposure – inhalation: 0.05 mg/m3

8.

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 – 22.08.2025 Replaces revision. 8 – 11.09.2024

Local effects for short-term exposure – inhalation: 0.1 mg/m3

Systemic effects for long-term exposure – dermal: no hazard identified

Systemic effects for short-term exposure – dermal: no hazard identified

Local effects for long-term exposure – dermal: high hazard (no derived threshold)

Local effects for short-term exposure – dermal: high hazard (no derived threshold)

Eye hazards: high risk (no derived threshold)

General population

Systemic effects for long-term exposure – inhalation: no hazard identified
Systemic effects for short-term exposure – inhalation: no hazard identified
Local effects for long-term exposure – inhalation: high hazard (no derived threshold)
Local effects for short-term exposure – inhalation: high hazard (no derived threshold)
Systemic effects for long-term exposure – dermal: no hazard identified
Systemic effects for short-term exposure – dermal: no hazard identified
Local effects for long-term exposure – dermal: high hazard (no derived threshold)
Local effects for short-term exposure – dermal: high hazard (no derived threshold)
Systemic effects for long-term exposure – oral: no hazard identified
Systemic effects for short-term exposure – oral: no hazard identified
Eye hazards: high hazard (no derived threshold)

PNEC

Fresh water: no hazard identified Marine water: no hazard identified

Sewage treatment plant: no hazard identified Sediment (fresh water): no hazard identified Sediment (sea water): no hazard identified

Soil: no hazard identified **DIRHODIUM TRISULPHATE**

DNEL

No data available up to now

PNEC

Chronic Ecotoxic Reference Value (ERV): 46 µg Rh/L (P. subcapitata)(growth rate) Acute Ecotoxic Reference Value (ERV): 290 µg Rh/L (D. magna)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Use only under a fume hood. Emergency showers and eye washing system near the work area.

8.2.2. Individual protection measures, such as personal protective equipment

Eye/face protection Splash goggles compliant with Directive 89/686 /

EEC and standard EN166: 2001

Skin protection (hands) Chemical gloves according to EN 420 EN 374

Glove material: Fluorinated rubber

Material thickness: 0.5 mm

Penetration time: ≥ 60 min DIN EN374 method Complete clothing compliant with the UNI EN

Skin protection (body)Complete clothing comp
13034: 2006 standard

Respiratory protection Semi-face masks with ABEK2P3 R filters conforming

to EN14387: 2004 + A1: 2008

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 – 22.08.2025 Replaces revision. 8 – 11.09.2024

Thermal hazards Information not available

8.2.3. Environmental exposure controls

Maintain suction in all environments using localized collection and ambient air exchange systems. Convey the aspirated volumes to an abatement system and then into the atmosphere. Do not use recirculating air suction systems. Avoid any spillage into the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state

Color

Odor

Melting point / freezing point

Boiling point or initial boiling point and

Liquid

Dark brown

Pungent

About -1 ° C

About 105 ° C

boiling range

Flammability

Lower and upper explosive limits

Flash point

Self-ignition temperature

Not inflammable

Not inflammable

Decomposition temperature The mixture does not decompose

Not applicable

pH <2

Cinematic viscosity

Solubility

Data not available
Fully miscible in water

Production coefficient n-octanol / water

(logarithmic value)

Vapor pressure

Density and / or relative density

Relative vapor density

Characteristics of the particles

2.33 KPa at 20 ° C

1.15 g / cm3

Data not available

Not applicable

9.2. Other information

None

10. STABILITY AND REACTIVITY

10.1 Reactivity

The product exhibits strongly acidic behavior

10.2 Chemical stability

Stable under normal storage conditions

10.3 Possibility of hazardous reactions

It can generate flammable gases and ignite in contact with organic sulphides, elemental metals and strong reducing agents. It can generate toxic gases in contact with halogenated organic substances, sulphides, nitrides, nitriles, organophosphates and strong oxidizing agents.

10.4 Conditions to avoid

Overheating

10.5 Incompatible materials

Bases, organic substances

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 – 22.08.2025 Replaces revision. 8 – 11.09.2024

	10.6	Hazardous decomposition products	
		Sulfur oxides	
11.		TOXICOLOGICAL INFORMATION	
	11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008	
		Acute toxicity	Based on available data, the
			classification criteria are not met
		Skin corrosion / irritation	Corrosive to the skin and mucous
			membranes
		Serious eye damage/irritation	Strongly corrosive
		Respiratory or skin sensitization	Based on available data, the
			classification criteria are not met
		Germ cell mutagenicity	Based on available data, the
			classification criteria are not met
		Carcinogenicity	Based on available data, the
			classification criteria are not met
		Reproductive toxicity	Based on available data, the
			classification criteria are not met
		STOT – single exposure	Based on available data, the
			classification criteria are not met
		STOT – repeated exposure	Based on available data, the
			classification criteria are not met
	11.2	Information on other hazards	
		None	
12.		ECOLOGICAL INFORMATION	
	12.1	Toxicity	Dirhodium trisulphate
			LC 50 (fish) 96 h: 220 mg / L
			EC50 (Daphnia magna) 48 h: 290 μg / L Rh
			EC50 (algae) 72 h: 4.5 mg/L Rh
	12.2	Persistence and degradability	Not persistent
	12.3	Bioaccumulative potential	Not bioaccumulative
	12.4	Mobility in soil	Undefined
	12.5	Results of PBT and vPvB assessment	
	12.6	Endocrine disrupting properties	None known
4.0	12.7	Other adverse effects	None known
13.	40.4	DISPOSAL CONSIDERATIONS	
	13.1.	Waste treatment methods	
			t be disposed of as hazardous waste by
		authorized companies.	
14.	444	TRANSPORT INFORMATION	11012264
	14.1	UN number or ID number	UN3264
	14.2	Official UN shipping name	Corrosive, acidic inorganic liquid, n.o.s. (dirhodium trisulphate, sulfuric acid)
	14.3	Transport hazard class	
		ADR/RID/ADN/IMDG/ICAO-IATA:	Class 8
		ADR/RID/ADN/IMDG/ICAO-IATA:	Label 8 + mark environment hazard
		ADR: Tunnel restriction code	(E)
		IMDG - EmS:	F-A,S-B
	14.4	Packing group	I

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 - 22.08.2025 Replaces revision. 8 - 11.09.2024

14.5	Dangers for the environment
------	-----------------------------

ADR/RID/ICAO-IATA: Yes

IMDG: Marine Contaminant: Dangerous for the environment

14.6 Special precautions for user

Transport must be carried out by vehicles authorized for the transport of dangerous goods according to the provisions of the current edition of the A.D.R. Agreement. and the applicable national provisions. Transport must be carried out in the original packaging and, in any case, in packaging which is made of materials which cannot be attacked by the contents, and which are not likely to generate dangerous reactions. Those responsible for loading and unloading dangerous goods must have received appropriate training on the risks presented by the preparation and on any procedures to be adopted in the event of emergency situations.

14.7 Maritime transport in bulk according to IMO instruments

No bulk transport is foreseen

15. **REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific 15.1

for the substance or mixture	Applicability
Reg. (EC) 1907/2006 / EC Reach	YES
Reg. (EC) 1272/2008 CLP and subsequent changes and additions	YES
Reg. (CE) 2037/2000 "Substances that deplete the ozone layer"	NO
Reg. (EC) 850/2004 "Persistent organic pollutants"	NO
Reg. (EC) 689/2008 "export and import of dangerous chemicals"	NO
Substance listed in Annex I of Dir. 2012/18 / EU so-called Seveso	NO
Legislative Decree 81/2008 Consolidated Law on health and	YES
safety at work	
Directive 2014/103 / EU "Adr"	YES
Reg. (CE) 1907/2006/CE Reach art. 59 – Candidate List of	NO
Substances of Very High Concern (SVHC)	
Reg. (CE) 1907/2006/CE Reach - Annex XIV - Authorisation List	NO
Reg. (CE) 1907/2006/CE Reach - Annex XVII - Restriction List	Limited use
https://echa.europa.eu/it/substances-restricted-under-reach	Item 3 - 75
	(check link)
REGULATION (EU) 2019/1148 "Explosives precursors"	YES

REGULATION (EU) 2019/1148 "Explosives precursors"

15.2 **Chemical safety assessment**

A chemical safety assessment was not carried out

16. OTHER INFORMATION

Changes compared to the previous edition

Changes to sections 2-3-11-14

Acronim and abbreviation legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

GHS: Globally Harmonized System of Classification and Labeling of Substances

EINECS: European Inventory of Chemical Substances

CAS: Chemical Abstract Service STA: Acute Toxicity Estimate

PBT: Persistent, Bioaccumulative and Toxic.

According to Regulation n. 1907/2006 and Regulation 878/2020 Rh Sulphate Sol. 100 W/ additive 100 ml = 10 g Rh



Revision 9 – 22.08.2025 Replaces revision. 8 – 11.09.2024

vPvB: (very persistent and very bioaccumulative). Very persistent and very

bioaccumulative LD: lethal dose

PNEC: predicted no effect concentration

DNEL: derived no effect level

TLV (ceiling value): threshold limit value

STEL: short-term exposure limit

EU-OEL: European occupational exposure limit

TWA: time-weighted average EC: effective concentration

NOAEL: no observed adverse effect level

LC: lethal concentration

NOEC: no observed effect concentration LOEC: lowest observed effect concentration

Bw: body weight

Koc: organic carbon-water partition coefficient

Main references and data sources

ECHA's data bank on registered substances and soon to be registered substances: https://chem.echa.europa.eu/

Indication, for mixtures, of which methods of evaluation of the information have been used for the purposes of classification

Classification		Classification procedure
Skin corrosive 1A	H314	According to 3.3.3.1.2 of Annex I to CLP
Eye Damage 1	H318	According to 3.3.3.1.2 of Annex I to CLP
Aq. Acute 1	H400	calculation
Aq. Chronic 1	H410	calculation

Adequate training for workers in order to ensure the protection of human health and the environment

Chemical Risk Training pursuant to Legislative Decree 81/08 Title IX dangerous substances
PPE training