

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024  
 Replaces revision n 9 – 03.08.2023

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Chemical name PD CHLORIDE IN SOLUTION 200 g / l  
 Product code 185  
 UFI code XWGO-K0CD-J00M-1QKX

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Intended uses Industrial use. Galvanic and pharmaceutical sector  
 Uses advised against None in particular

**1.3 Details of the supplier of the safety data sheet**

Name FAGGI ENRICO S.P.A.  
 Address Via Majorana, 101/103 50019 Sesto Fiorentino FI  
 Telephone number 055311861  
 Fax number 055311791  
 Competent person responsible for the safety data sheet lorenzo.magaldi@faggi.it

**1.4 Emergency telephone number**

111 - Medical helpline operating in England, in Scotland (NHS 24) and in Wales (NHS Direct Wales)  
 Exempt under Article 6(1)

**1.5 REACH registration number**

**2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

Hazard classes	Category codes	Hazard statements
Met. Corr.	1	H290
Acute Tox.	4	H302
Skin Corr.	1B	H314
Eye Dam.	1	H318
Skin Sensitive	1	H317
STOT SE	3	H335
Aquatic chronic	1	H400
Aquatic acute	1	H410

**2.2 Label elements**

**Pictograms**



**Signal word**

**DANGER** (hydrochloric acid, palladium chloride)

**Hazard statements**

H290 May be corrosive to metals  
 H302 Harmful if swallowed  
 H314 Causes severe skin burns and eye damage  
 H317 May cause an allergic skin reaction  
 H335 May cause respiratory irritation  
 H410 Very toxic to aquatic life with long lasting effects

**Precautionary statements**

P270 Do not eat, drink or smoke during use



**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024

Replaces revision n 9 – 03.08.2023

Eye damage 1  
 Corrosive to metals 1  
 Acute target organ toxicity single exposure 3  
 Skin corrosion 1A

**10 % ≤ C < 25 %**

Eye damage 1  
 Corrosive to metals 1  
 Acute target organ toxicity single exposure 3  
 Skin corrosion 1B

**1 % ≤ C < 10 %**

Eye damage 1  
 Corrosive to metals 1

**0.1 % ≤ C < 1 %**

Corrosive to metals 1

**4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

Inhalation	Bring the injured person to fresh air. If breathing is stopped, give artificial respiration. Consult a physician.
Ingestion	Drink a lot of water. Do not induce vomiting. Consult a physician.
Contact with skin	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing and wash it before reuse.
Contact with eyes	Rinse with plenty of running water for at least 15 minutes Do not use eye drops or ointments. Consult a physician.

Recommendations:	YES
• Need to see a doctor immediately	YES
• Possibility of delayed effects following exposure	YES
• Move the exposed individual from the place of exposure to the open air	YES
• Remove the clothing and shoes of the exposed individual	With gloves
• How to handle contaminated clothing	YES
• For first aiders, wear PPE	YES

**4.2 Most important symptoms and effects, both acute and delayed**

Eye, nose and throat irritation, chest pain, choking, skin irritation, corneal burns, skin burn (after severe exposure), nausea, vomiting. Abundant and haemorrhagic mucous secretions, bronchitis, pulmonary edema, corneal necrosis, tissue necrosis, gastrointestinal tract perforation

**4.3 Indication of any immediate medical attention and special treatment needed**

Consult a doctor immediately. Emergency showers and eye washing systems must be available in the workplace.

**5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable extinguishing media      Water spray, carbon dioxide, foam  
 Unsuitable extinguishing media    None in particular

**5.2 Special hazards arising from the substance or mixture**

In case of fire it can develop hydrochloric acid, toxic for inhalation. The product reacts with metals to develop hydrogen, which is highly flammable.

**5.3 Advice for firefighters**

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024  
Replaces revision n 9 – 03.08.2023

Prevent the water used to extinguish the fire from flowing into the sewer, groundwater or surface water. Cool containers at risk with water.

General information:

Normal fire-fighting clothing, such as self-contained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659) and firefighter boots (HOA29 or A30)

**Equipment:**

**6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**6.1.1. For non-emergency personnel**

Keep away from contaminated area and keep upwind

**6.1.2. For emergency responders**

Wear :

Gloves for chemical risks compliant with EN420 EN374 Standards

Complete clothing compliant with the UNI EN 13034: 2006 standard

Semi-face masks with ABEK2P3 R filters conforming to EN14387: 2004 + A1: 2008

**6.2 Environmental precautions**

Prevent infiltration into the sewer, groundwater and surface water

**6.3 Methods and material for containment and cleaning up**

**6.3.1. Advice in order to contain a spill**

Contain spill with appropriate absorbent material (sand, sawdust) and keep in hermetic sealed container

**6.3.2. Advice in order to clean-up a spill**

Wash the area with plenty of water

**6.3.3 Other information**

None

**6.4 Reference to other sections**

None

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

**7.1.1. Recommendations in order to manipulate the substance or the mixture in a safe manner, such as containment measures and prevention of fire and aerosol and powders formation**

Keep in original closed and labeled container

**7.1.2. General recommendation on work hygiene**

Do not eat, drink and smoke in work areas. Wash your hands after use. Remove contaminated clothing and protective equipment before entering eating areas

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from bases, strong oxidants and metals

**7.2.1. Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources**

Store in the original containers and close them immediately after use.

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024

Replaces revision n 9 – 03.08.2023

**7.2.2. Control of weather conditions, ambient pressure, temperature, sunlight, humidity, and vibration**

Store in a dry and cool place.

**7.2.3. Conditions to maintain the integrity of the substance or mixture**

Packages must be kept closed and labeled

**7.2.4. Advice regarding the ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities**

Use PE and PP plastic packaging or other resistant materials. Keep the packages in the containment basin.

**7.3. Specific end use(s)**

Industrial use. Additive for electroplating. Catalyst production.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**SUBSTANCE: HYDROCHLORIC ACID**

**DNEL**

Workers

Systemic effects for long-term exposure – inhalation: no hazard identified

Systemic effects for short-term exposure – inhalation: no hazard identified

Local effects for long-term exposure – inhalation: 8 mg/m<sup>3</sup>

Local effects for short-term exposure – inhalation: 15 mg/m<sup>3</sup>

Systemic effects for long-term exposure – dermal: no hazard identified

Systemic effects for short-term exposure – dermal: no hazard identified

Local effects for long-term exposure – dermal: High hazard (no derived threshold)

Local effects for short-term exposure – dermal: High hazard (no derived threshold)

Hazards for eyes: Moderate risk (no derived threshold)

8-hour limit value: 5 ppm mg/m<sup>3</sup> Legislative Decree 81/08 (IT)

Short-term limit value: 10 ppm 15 mg/m<sup>3</sup> Legislative Decree 81/08

General population

Systemic effects for long-term exposure – inhalation: no hazard identified

Systemic effects for short-term exposure – inhalation: no hazard identified

Local effects for long-term exposure – inhalation: 8 mg/m<sup>3</sup>

Local effects for short-term exposure – inhalation: 15 mg/m<sup>3</sup>

Systemic effects for long-term exposure – dermal: no hazard identified

Systemic effects for short-term exposure – dermal: no hazard identified

Local effects for long-term exposure – dermal: High hazard (no derived threshold)

Local effects for short-term exposure – dermal: High hazard (no derived threshold)

Systemic effects for long-term exposure – oral: no hazard identified

Systemic effects for short-term exposure – oral: no hazard identified

Eye hazards: Moderate risk (no derived threshold)

**PNEC**

Fresh water: no hazard identified

Marine water: no hazard identified

Sewage Treatment Plant: No Hazard Identified

Sediment (Fresh Water): No Hazard Identified

Sediment (Marine Water): No Hazard Identified

Soil: No Hazard Identified

**SUBSTANCE: PALLADIUM(II) CHLORIDE**

**DNEL**

No DNEL value available to date

**PNEC**

No PNEC value available to date

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024

Replaces revision n 9 – 03.08.2023

**8.2. Exposure controls**

**8.2.1. Appropriate engineering controls**

Ventilation systems. Emergency showers and eye washing system near the work area.  
 Periodically check the range of the extractor hood.

**8.2.2. Individual protection measures, such as personal protective equipment**

**Eye/face protection** Protective goggles for eyes compliant with Directive 89/686 / EEC and with standard EN166: 2001

**Skin protection (hands)** Chemical gloves according to EN 420 EN 374  
 Glove material: fluoro rubber, butyl rubber, chloroprene, nitrile rubber, PVC, latex  
 Material thickness: 0.5 mm

Penetration time: ≥ 60 min DIN EN374 method

**Skin protection (body)** Complete antacid clothing compliant with the UNI EN 13034: 2006

**Respiratory protection** Semi-face masks with ABEK2P3 R filters conforming to EN14387: 2004 + A1: 2008

**Thermal hazards** Info not available

**8.2.3. Environmental exposure controls**

Maintain suction in all environments using localized collection systems and ambient air exchange. Convey the aspirated volumes to an abatement system and then into the atmosphere. Do not use recirculating air suction systems. Avoid any spillage into the environment.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Physical state	Liquid
Colour	Brown red
Odour	Pungent, irritating
Melting point/freezing point	About -50 ° C
Boiling point or initial boiling point and boiling range	About 107 ° C
Flammability	Not inflammable
Lower and upper explosion limit	Not explosive
Flash point	Not inflammable
Auto-ignition temperature	Not inflammable
Decomposition temperature	Not applicable
pH	< 1
Kinematic viscosity	1.73 mm <sup>2</sup> / s at 20 ° C
Solubility	Completely soluble in water
Partition coefficient n-octanol/water (log value)	Not applicable
Vapour pressure	12 hPa at 25 ° C
Density and/or relative density	1.5 g / ml
Relative vapour density	Data not available
Particle characteristics	Not applicable

**9.2. Other information**

None

**10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024

Replaces revision n 9 – 03.08.2023

Hydrochloric acid is a strong acid with corrosive action with numerous metals. It can produce corrosive vapors.

**10.2 Chemical stability**

Stable under normal storage conditions

**10.3 Possibility of hazardous reactions**

Hydrochloric acid can react with oxidizing products (peroxides, permanganates, chromates, persulfates ...) generating toxic gases. Reacts with metals generating hydrogen with production of heat; danger of explosion. It can produce chlorine from light or other catalysts. Reacts violently with bases and amines

**10.4 Conditions to avoid**

Exposure to heat and sunlight.

**10.5 Incompatible materials**

Strong bases, oxidizing agents, metals

**10.6 Hazardous decomposition products**

It does not decompose but can develop hydrochloric acid vapors

**11. TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** STA(mixture): LD50 oral: 1597 mg/kg bw (rat)

Substance: Palladium chloride  
LD50 oral 479 mg/kg bw (rat)

Substance: Hydrochloric acid  
STA: LC50 (30 min) (rat) (inhalation): 4701 ppm  
STA: LC50 (5 min) (rat) (inhalation): 40989 ppm

**Skin corrosion / irritation** Mixture: Causes severe skin burns  
**Serious eye damage/irritation** Mixture: Causes serious eye damage  
**Respiratory or skin sensitization** Mixture: May cause allergic skin reaction  
**Germ cell mutagenicity** Mixture: Based on available data, the classification criteria are not met

**Carcinogenicity** Mixture: Based on available data, the classification criteria are not met

**Reproductive toxicity** Mixture: Based on available data, the classification criteria are not met

**STOT – single exposure** Mixture: Highly irritating to respiratory tract and lungs

**STOT – repeated exposure** Mixture: Based on available data, the classification criteria are not met

**11.2 Information on other hazards**

It does NOT contain PBT / vPvB substances according to Regulation (EC) 1907/2006, annex XIII

It does NOT contain substances that interfere with the endocrine system in accordance with Regulation (EC) 1907/2006 art.59 paragraph 1 and in accordance with the criteria established in Regulation (EU) 2017/2100 and Regulation (EU) 2018/605.

**12. ECOLOGICAL INFORMATION (Hydrochloric acid)**

**12.1 Toxicity** Mixture: ESTIMATED EC50(algae): 3.1 µg/L

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024  
 Replaces revision n 9 – 03.08.2023

		<u>Palladium dichloride</u>
		LC10 (fish) (96h) 90.4 µg Pd/L
		LC50 (fish)(96h) 154 µg Pd/L
		EC50 (invertebrates) (48 h) 35.19 µg Pd/L
		NOEC (invertebrates) (48 h) 20.52 µg Pd/L
		NOEC (invertebrates)(21 days) ≥ 14.3 µg Pd/L
		EC50 (algae) (72 h) 2.03 µg Pd/L
		NOEC (algae) (72 h) 1.33 µg Pd/L
<b>12.2</b>	<b>Persistence and degradability</b>	Not applicable as inorganic substances
<b>12.3</b>	<b>Bioaccumulative potential</b>	Mixture: Insignificant given the high solubility in water
<b>12.4</b>	<b>Mobility in soil</b>	Mixture: It does not reach sediment / soil and therefore cannot be ingested by birds or mammals
<b>12.5</b>	<b>Results of PBT and vPvB assessment</b>	Not applicable
<b>12.6</b>	<b>Endocrine disrupting properties</b>	No known effects
<b>12.7</b>	<b>Other adverse effects</b>	No known effects
<b>13.</b>	<b>DISPOSAL CONSIDERATIONS</b>	
<b>13.1.</b>	<b>Waste treatment methods</b>	The substance and its packaging must be disposed of as hazardous waste by authorized companies.
<b>14.</b>	<b>TRANSPORT INFORMATION</b>	
<b>14.1</b>	<b>UN number or ID number</b>	3264
<b>14.2</b>	<b>Official UN shipping name</b>	
	ADR/ADN/RID/IMDG/ICAO-IATA:	Inorganic liquid, corrosive, acid n.o.s. (hydrochloric acid, palladium chloride)
<b>14.3</b>	<b>Transport hazard class</b>	
	ADR/ADN/RID/IMDG/ICAO-IATA: Class:	8
	ADR/ADN/RID/IMDG/ICAO-IATA: Label:	8 + Mark environmental hazard
	ADR: Tunnel restriction code	E
	IMDG - EmS:	F-A, S-B
<b>14.4</b>	<b>Packing group</b>	II
<b>14.5</b>	<b>Dangers for the environment</b>	
	ADR/ADN/RID/ICAO-IATA:	Product dangerous for environment
	IMDG: Marine Contaminant:	yes
<b>14.6</b>	<b>Special precautions for user</b>	
	Transport must be carried out by vehicles authorized for the transport of dangerous goods according to the provisions of the current edition of the A.D.R. Agreement. and the applicable national provisions. Transport must be carried out in the original packaging and, in any case, in packaging which is made of materials which cannot be attacked by the contents, and which are not likely to generate dangerous reactions. Those responsible for loading and unloading dangerous goods must have received appropriate training on the risks presented by the preparation and on any procedures to be adopted in the event of emergency situations.	
<b>14.7</b>	<b>Maritime transport in bulk according to IMO instruments</b>	
	Bulk transport is not foreseen	
<b>15.</b>	<b>REGULATORY INFORMATION</b>	
<b>15.1</b>	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	

**Applicability**



**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024

Replaces revision n 9 – 03.08.2023

<b>Reg. (EC) 1907/2006 / EC Reach</b>	YES
<b>Reg. (EC) 1272/2008 CLP and subsequent changes and additions</b>	YES
<b>Reg. (CE) 2037/2000 "Substances that deplete the ozone layer"</b>	NO
<b>Reg. (EC) 850/2004 "Persistent organic pollutants"</b>	NO
<b>Reg. (EC) 689/2008 "export and import of dangerous chemicals"</b>	NO
<b>Substance listed in Annex I of Dir. 2012/18 / EU so-called Seveso</b>	NO
<b>Legislative Decree 81/2008 Consolidated Law on health and safety at work</b>	YES
<b>Directive 2014/103 / EU "Adr"</b>	YES
<b>Reg. (CE) 1907/2006/CE Reach art. 59 – Candidate List of Substances of Very High Concern (SVHC)</b>	NO
<b>Reg. (CE) 1907/2006/CE Reach - Annex XIV – Authorisation List</b>	NO
<b>Reg. (CE) 1907/2006/CE Reach - Annex XVII – Restriction List</b>	Limited use
<a href="https://echa.europa.eu/it/substances-restricted-under-reach">https://echa.europa.eu/it/substances-restricted-under-reach</a>	Item 3 - 75 (check link)

**15.2 Chemical safety assessment**

A chemical safety assessment was not carried out

**16. OTHER INFORMATION**

**16.1 Changes compared to the previous edition**

Changes to sections: 1-8-11-12-14-16

**16.2 Acronym and abbreviation legend**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

GHS: Globally Harmonized System of Classification and Labeling of Substances

EINECS: European Inventory of Chemical Substances

CAS: Chemical Abstract Service

STA: Acute Toxicity Estimate

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: (very persistent and very bioaccumulative). Very persistent and very bioaccumulative

LD: lethal dose

PNEC: predicted no effect concentration

DNEL: derived no effect level

TLV (ceiling value): threshold limit value

STEL: short-term exposure limit

EU-OEL: European occupational exposure limit

TWA: time-weighted average

EC: effective concentration

NOAEL: no observed adverse effect level

LC: lethal concentration

NOEC: no observed effect concentration

LOEC: lowest observed effect concentration

Bw: body weight

Koc: organic carbon-water partition coefficient

**16.3 Main references and data sources**

ECHA's data bank on registered substances and soon to be registered substances:

<https://chem.echa.europa.eu/>

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**PD CHLORIDE IN SOLUTION 200 g / l**



Revision n. 10 – 24.09.2024

Replaces revision n 9 – 03.08.2023

**Indication, for mixtures, of which methods of evaluation of the information have been used for the purposes of classification**

	<b>Classification</b>	<b>Classification procedure</b>
	Metal Corrosive 1	Calculation
	Skin corrosive 1 B	Calculation
	STOS SE 3	Calculation
	Aquatic chronic 1	Calculation
	Aquatic acute 1	Calculation
	Acute Tox 4	Calculation
	Skin Sensitive 1	Calculation
	Eye Dam. 1	Calculation
<b>16.5</b>	<b>Adequate training for workers in order to ensure the protection of human health and the environment</b>	
	Training on Chemical Risk pursuant to Legislative Decree 81/08 Title IX dangerous substances	
	PPE training	