

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

<b>1.1</b>	<b>Product identifier</b>	
	Commercial name	Rhodium Ready to Use 2 g/l
	Product code	124
	Registration number	A registration number is not available for this product as it is a mixture
	UFI code	TNA0-Q085-V00E-PW20
<b>1.2</b>	<b>Relevant identified uses of the substance or mixture and uses advised against</b>	
	Intended uses	Industrial use. Additive for electroplating
	Advised against uses	None in particular
<b>1.3</b>	<b>Details of the supplier of the safety data sheet</b>	
	Name	FAGGI ENRICO S.P.A.
	Address	Via Majorana, 101/103 50019 Sesto Fiorentino FI
	Telephone number	055311861
	Fax number	055311791
	Competent person	lorenzo.magaldi@faggi.it
	responsible for the safety data sheet	
<b>1.4</b>	<b>Emergency telephone number</b>	111 - Medical helpline operating in England, in Scotland (NHS 24) and in Wales (NHS Direct Wales)

**2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

	<b>Hazard classes</b>	<b>Category codes</b>	<b>Hazard statements</b>
	Met. Corr.	1	H290
	Skin Corr	1 B	H314
	Aq. Chronic	3	H412

**2.2 Label elements**

**Pictograms**



<b>Signal word</b>	<b>DANGER (sulphuric acid, dirhodium trisulphate)</b>		
<b>Hazard statements</b>	H290	May be corrosive to metals	
	H314	Causes severe skin burns and eye damage.	
	H412	Harmful to aquatic life with long lasting effects	
	EUH071	Corrosive to the respiratory tract	
<b>Precautionary statements</b>	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	P301+P330+P331	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.	
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

<b>2.3</b>	<b>UFI code</b>	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	<b>Other hazards</b>	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P273	Avoid release to the environment

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<b>3.2</b>	<b>Mixture</b>	<b>Product identifier</b>	<b>Concentration</b>	<b>Classification</b>	
			<b>%</b>	<b>Hazard classes</b>	<b>Category codes</b>
		Sulphuric acid	3 ≤ conc < 5	Skin Corr. 1 A	H314
		CAS 7664-93-9			
		CE 231-639-5			
		INDEX 016-020-00-8			
		N.Reach: 01-2119458838-20-XXXX			
		Specific limits:			
		Skin Corr. 1A : C ≥ 15 %			
		Skin Irrit. 2: H315 5% ≤ C < 15 %			
		Eye Irrit. 2: H319 5% ≤ C < 15 %			
		ATE: not applicable			
		M factors: not applicable			
		Dirhodium trisulphate	0.5 ≤ C < 1	Met. Corr 1	H290
		CAS 10489-46-0		Skin Corr. 1B	H314
		CE: 234-014-5		Eye Dam. 1	H318
		INDEX: not available		Aq. Acute 1	H400
		REACH N °: exempt for quantity		Aq. Chronic 1	H410
		ATE: not applicable		Corrosive to the respiratory tract	EUH071
		M factor (acute): 1			
		M factor (chronic): 1			

### 4. FIRST AID MEASURES

<b>4.1</b>	<b>Description of first aid measures</b>
Inhalation	Keep the injured person at rest in an airy and warm environment. In case of respiratory arrest, use artificial respiration methods.
Ingestion	Do not induce vomiting. Drink plenty of water and consult a doctor.
Skin contact	Take off contaminated clothing and dispose of it safely. Immediately wash skin with plenty of water and soap. Consult a physician

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

**Eye contact** Immediately rinse the eyes with plenty of water until the irritation subsides. Do not use eye drops or ointments. Consult an ophthalmologist specialist

**Reccomendation:**

- **Need to see a doctor immediately** YES
- **Possibility of delayed effects following exposure** YES
- **Move the exposed individual from the place of exposure to the open air** YES
- **Remove the clothing and shoes of the exposed individual** YES
- **How to handle contaminated clothing** With gloves
- **For those providing first aid, wear PPE** YES

**4.2 Most important symptoms and effects, both acute and delayed**

Eye, nose and throat irritation, chest pain, choking, skin irritation, corneal burns, skin burn (after severe exposure), nausea, vomiting: Abundant and bleeding mucous secretions, bronchitis, pulmonary edema, corneal necrosis, tissue necrosis, perforation of the gastrointestinal tract.

**4.3 Indication of any immediate medical attention and special treatment needed**

Consult a physician immediately. Emergency showers and eye washing systems must be available in the workplace.

**5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable extinguishing media:** Water spray, carbon dioxide, foam

**Non suitable extinguishing media:** None in particular

**5.2 Special hazards arising from the substance or mixture**

If involved in a fire it can develop sulfur oxides, toxic for inhalation.

**5.3 Advice for firefighters**

**General information** Prevent the water used to extinguish the fire from flowing into the sewer, groundwater or surface water. Cool containers at risk with water.

**Equipment** Normal fire-fighting clothing, such as self-contained open-circuit compressed air breathing apparatus (EN137), flame retardant suit (EN469), flame retardant gloves (EN659) and firefighter boots (HOA29 or A30)

**6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment, and emergency procedures**

**6.1.1. For non-emergency personnel**

Immediately move away from the contaminated area and keep upwind.

**6.1.2. For emergency responders**

**Use:**

Gloves for chemical risks compliant with EN420 EN374 Standards

Complete clothing compliant with the UNI EN 13034: 2006 standard

Semi-face masks with ABEK2P3 R filters conforming to EN14387: 2004 + A1: 2008

**6.2 Environmental precautions**

Prevent infiltration into the sewer, groundwater and surface water of the washing water.

**6.3 Methods and material for containment and cleaning up**

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

**6.3.1. *Advice to contain a spill***

Contain spill with appropriate absorbent material (sand, bentonite) and place in airtight container. Sprinkle the spill with baking soda to neutralize the acidity.

**6.3.2. *Advice to clean-up a spill***

Wash the area with plenty of water.

**6.4 Reference to other sections**

None

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

**7.1.1. *Recommendations to manipulate the substance or the mixture in a safe manner, such as containment measures and prevention of fire and aerosol and powders formation***

During processing, before transferring operations, make sure that there are no incompatible residual materials in the containers used.

**7.1.2. *General recommendation on work hygiene***

Do not eat, drink and smoke in work areas. Wash your hands after use. Remove contaminated clothing and protective equipment before entering eating areas

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from bases and metals.

**7.2.1. *Risk management associated with explosive atmospheres, corrosive conditions, flammability hazards, incompatible substances or mixtures, evaporative conditions, potential ignition sources***

Store in the original containers and close them immediately after use.

**7.2.2. *Control of weather conditions, ambient pressure, temperature, sunlight, humidity, and vibration***

Store in a cool, dry place.

**7.2.3. *Conditions for keeping substances / mixtures intact***

The packages must be well closed and labeled.

**7.2.4. *Advice regarding the ventilation, specific design for storage rooms or vessels, quantity limits under storage conditions, packaging compatibilities***

Use PE and PP plastic packaging or other resistant materials. Keep the packages in a containment basin.

**7.3. Specific end use(s)**

Industrial use. Additive for electroplating

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**SULPHURIC ACID**

**DNEL**

**Workers**

Systemic effects for long-term exposure – inhalation: no hazard identified

Systemic effects for short-term exposure – inhalation: no hazard identified

Local effects for long-term exposure – inhalation: 0.05 mg/m<sup>3</sup>

Local effects for short-term exposure – inhalation: 0.1 mg/m<sup>3</sup>

Systemic effects for long-term exposure – dermal: no hazard identified

Systemic effects for short-term exposure – dermal: no hazard identified

Local effects for long-term exposure – dermal: high hazard (no derived threshold)

Local effects for short-term exposure – dermal: high hazard (no derived threshold)

Eye hazards: high risk (no derived threshold)

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

#### **General population**

Systemic effects for long-term exposure – inhalation: no hazard identified  
Systemic effects for short-term exposure – inhalation: no hazard identified  
Local effects for long-term exposure – inhalation: high hazard (no derived threshold)  
Local effects for short-term exposure – inhalation: high hazard (no derived threshold)  
Systemic effects for long-term exposure – dermal: no hazard identified  
Systemic effects for short-term exposure – dermal: no hazard identified  
Local effects for long-term exposure – dermal: high hazard (no derived threshold)  
Local effects for short-term exposure – dermal: high hazard (no derived threshold)  
Systemic effects for long-term exposure – oral: no hazard identified  
Systemic effects for short-term exposure – oral: no hazard identified  
Eye hazards: high hazard (no derived threshold)

#### **PNEC**

Fresh water: no hazard identified  
Marine water: no hazard identified  
Sewage treatment plant: no hazard identified  
Sediment (fresh water): no hazard identified  
Sediment (sea water): no hazard identified  
Soil: no hazard identified

#### **DIRHODIUM TRISULPHATE**

#### **DNEL**

No data available up to now

#### **PNEC**

Chronic Ecotoxic Reference Value (ERV): 46 µg Rh/L (*P. subcapitata*)(growth rate)  
Acute Ecotoxic Reference Value (ERV): 290 µg Rh/L (*D. magna*)

## **8.2.**

#### **Exposure controls**

##### **8.2.1. Appropriate engineering controls**

Ventilation systems. Emergency showers and eye washing system near the work area.

##### **8.2.2. Individual protection measures, such as personal protective equipment**

**Eye/face protection** Splash goggles compliant with Directive 89/686 / EEC and standard EN166: 2001

**Skin protection (hands)** Chemical gloves according to EN 420 EN 374

Glove material:

Fluorinated rubber

Material thickness: 0.5 mm

Penetration time: ≥ 60 min DIN EN374 method

**Skin protection (body)** Complete clothing compliant with the UNI EN 13034: 2006 standard.

**Respiratory protection** Semi-face masks with ABEK2P3 R filters conforming to EN14387: 2004 + A1: 2008

##### **Thermal hazards**

Information not available.

##### **8.2.3. Environmental exposure controls**

Maintain suction in all environments using localized collection systems and ambient air exchange. Convey the aspirated volumes to an abatement system

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

and then into the atmosphere. Do not use air recirculation suction systems. Avoid any spillage into the environment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Dark orange
Odour	Acid
Melting point/freezing point	- 4 °C
Boiling point or initial boiling point and boiling range	Ca 101 °C
Flammability	Not flammable
Lower and upper explosion limit	Not explosive
Flash point	Not flammable
Auto-ignition temperature	Not flammable
Decomposition temperature	The product decomposes at about 335 °C
pH	≤ 2
Kinematic viscosity	Not available data
Solubility	Fully miscible in water
Partition coefficient n-octanol/water (log value)	Fully miscible in water
Vapour pressure	Undefined
Density and/or relative density	1.1 g/cm3
Relative vapour density	Not available data
Particle characteristics	Not applicable

### 9.2. Other information

None.

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

The product has a highly acidic behavior.

### 10.2 Chemical stability

Stable under normal storage conditions.

### 10.3 Possibility of hazardous reactions

May react violently with water with strong development of heat and projection of hot and / or corrosive liquids.

### 10.4 Conditions to avoid

Overheating.

### 10.5 Incompatible materials

Bases, organic substances.

### 10.6 Hazardous decomposition products

Sulfur oxides

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (CE) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met

#### Skin corrosion/irritation

The product causes serious skin corrosion

#### Serious eye damage/irritation

The product causes serious eye damage

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

	<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met
	<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met
	<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met
	<b>(STOT) single exposure</b>	Based on available data, the classification criteria are not met
	<b>(STOT) repeated exposure</b>	Based on available data, the classification criteria are not met
<b>11.2</b>	<b>Information on other hazards</b>	
	None	
<b>12 ECOLOGICAL INFORMATION</b>		
<b>12.1</b>	<b>Toxicity</b>	Dirhodium trisulphate LC 50 (fish) 96 h: 220 mg / L EC50 (Daphnia magna) 48 h: 290 µg / L Rh EC50 (algae) 72 h: 4.5 mg/L Rh
<b>12.2</b>	<b>Persistence and degradability</b>	Not persistent
<b>12.3</b>	<b>Bioaccumulative potential</b>	Not bioaccumulative
<b>12.4</b>	<b>Mobility in soil</b>	Undefined
<b>12.5</b>	<b>Results of PBT and vPvB assessment</b>	Not applicable
<b>12.6</b>	<b>Endocrine disrupting properties</b>	No effect known
<b>12.7</b>	<b>Other adverse effects</b>	No effect known
<b>13 DISPOSAL CONSIDERATIONS</b>		
<b>13.1.</b>	<b>Waste treatment methods</b>	The substance and its packaging must be disposed of as hazardous waste by authorized companies.
<b>14 TRANSPORT INFORMATION</b>		
<b>14.1</b>	<b>UN number or ID number</b>	3264
<b>14.2</b>	<b>Official UN shipping name</b>	Corrosive inorganic liquid, acid n.o.s. (sulphuric acid, dirhodium trisulphate)
<b>14.3</b>	<b>Transport hazard class</b>	
	ADR/RID/ADN/IMDG/ICAO-IATA: Class:	8
	ADR/RID/ADN/IMDG/ICAO-IATA: Label:	8
	ADR: Tunnel restriction code	(E)
	IMDG - EmS:	F-A, S-B
<b>14.4</b>	<b>Packing group</b>	II
<b>14.5</b>	<b>Dangers for the environment</b>	
	ADR/RID/ADN/ICAO-IATA:	NO
	IMDG: Marine Contaminant:	NO
<b>14.6</b>	<b>Special precautions for user</b>	Transport must be carried out by vehicles authorized for the transport of dangerous goods according to the provisions of the current edition of the A.D.R. Agreement. and the applicable national provisions. Transport must be carried out in the original packaging and, in any case, in packaging which is made of materials which cannot be attacked by the contents, and which are not likely to generate dangerous reactions. Those

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodium Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

responsible for loading and unloading dangerous goods must have received appropriate training on the risks presented by the preparation and on any procedures to be adopted in the event of emergency situations.

**14.7 Maritime transport in bulk according to IMO instruments**  
No bulk transport is foreseen

**15. REGULATORY INFORMATION**

	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	<b>Applicability</b>
	<i>Reg. (CE) 1907/2006/CE Reach</i>	YES
	<i>Reg. (CE) 1272/2008 CLP and subsequent amendments</i>	YES
	<i>Reg. (CE) 2037/2000 "Substances that deplete the ozone layer"</i>	NO
	<i>Reg. (CE) 850/2004 "Persistent organic pollutants"</i>	NO
	<i>Reg. (CE) 689/2008 "Export and import of hazardous chemicals"</i>	NO
	<i>Substance listed in Annex I of Dir. 2012/18/UE cd Seveso</i>	NO
	<i>Directive 81/2008 Consolidated Act on protection of health and work safety</i>	YES
	<i>Directive 2014/103/UE "Adr"</i>	YES
	<i>Reg. (CE) 1907/2006/CE Reach art. 59 – Candidate List of Substances of Very High Concern (SVHC)</i>	NO
	<i>Reg. (CE) 1907/2006/CE Reach - Annex XIV – Authorisation List</i>	NO
	<i>Reg. (CE) 1907/2006/CE Reach - Annex XVII – Restriction List</i>	Limited use
	<a href="https://echa.europa.eu/it/substances-restricted-under-reach"><u>https://echa.europa.eu/it/substances-restricted-under-reach</u></a>	Item 3 - 75 (check link)
<b>15.2</b>	<b>Chemical safety assessment</b> A chemical safety assessment was not carried out	

**16. OTHER INFORMATION**

**Changes compared to the previous edition**

Changes to sections 3 - 14

**Acronym and abbreviation legend**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

GHS: Globally Harmonized System of Classification and Labeling of Substances

EINECS: European Inventory of Chemical Substances

CAS: Chemical Abstract Service

STA: Acute Toxicity Estimate

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: (very persistent and very bioaccumulative). Very persistent and very bioaccumulative

LD: lethal dose

PNEC: predicted no effect concentration

DNEL: derived no effect level

TLV (ceiling value): threshold limit value

STEL: short-term exposure limit

EU-OEL: European occupational exposure limit

TWA: time-weighted average

EC: effective concentration

**Safety data sheet**  
**According to Regulation n. 1907/2006 and Regulation 878/2020**  
**Rhodiamond Ready to Use 2 g/l**



Revision 9 – 22.08.2025

Replaces revision 8 – 11.09.2024

NOAEL: no observed adverse effect level

LC: lethal concentration

NOEC: no observed effect concentration

LOEC: lowest observed effect concentration

Bw: body weight

Koc: organic carbon-water partition coefficient

**Main references and data sources**

ECHA's data bank on registered substances and soon to be registered substances:

<https://chem.echa.europa.eu/>

**Reporting, for mixtures, which methods of evaluating the information were used for the purposes of classification.**

	Classification	Classification procedure
Met. Corr. 1	H290	Calculation method
Skin Corrosive 1 B	H314	According to Table 3.2.3 and notes of Annex I to CLP
Aq. Chronic 3	H412	Calculation method
<b>Adequate training for workers to guarantee the protection of human health and the environment</b>		
Training on the chemical risk ex Directive 81/08 Title IX dangerous substances		
Training on PPE		